Bayer Environmental Science • AGCI • Date : 19/01/09 • Auteur : Ch.





Flying Insect Killer

Insecticide

Contents : **400 ml** e



DANGEROUS FOR THE ENVIRONMENT.

HARMFUL TO AQUATIC ORGANISMS May cause long term adverse effects in the aquatic environment.

FLAMMABLE.

Contains: d-tetramethrin 0.15% w/w and d-phenothrin 0.15% w/w

FOR USE ONLY AS AN INSECTICIDE

A pre-pressurised handheld aerosol for use against flying insects such as flies, mosquitoes and other small flying insects by application as a space and surface spray. Can also be used against crawling insects such as ants, bedbugs, cockroaches, fleas. For indoor use only.

Directions for use

For the control of flying insects, close all doors and windows and direct spray upwards into the centre of the room with a slow sweeping motion, 5-10 seconds in an average room (30 m³). Vacate room and keep door closed for 15 minutes.

Ventilate before re-entry. Spray can also be used directly on visible insect pests or applied in cracks and crevices suspected of harbouring crawling insect pests. Beneat as necessary

STATUTORY CONDITIONS RELATING TO USE For use only as an insecticide.

Application:

Space Spray:

Spray for 5 to 10 second in an average room Direct Spray:

Spray from a distance of 15 cm directly onto insect. Spray for 2 seconds for use against cockroaches and bedbugs. Spray for 1 second for use against fleas. Residual Spray:

Spray from a distance of 20 cm directly onto infected surfaces. Spray for 2 seconds for use against cockroaches. Spray for 1 second for use against bedbugs and fleas. Repeat if necessary.

FOR AMATEUR USE Do not breathe spray

FOR INDOOR USE ONLY.

DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

THIS MATERIAL AND ITS CONTAINER must be disposed of in a safe way. Avoid contact with skin.

COVER ALL WATER STORAGE TANKS before application.

REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

AVOID ALL CONTACT WITH PLANT LIFE. ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES. DO NOT APPLY TO SOFT FURNISHINGS. KEEP AWAY FROM TREATED SURFACES UNTIL DRY.

DO NOT APPLY DIRECTLY TO ANIMALS. DO NOT APPLY TO CLOTHING AND BEDDING. FOR USE ONLY BY PROFESSIONAL OPERATORS.

The following applies in addition to the Safety Phrases for Amateur use: The (COSSH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

STATUTORY CONDITIONS RELATING TO USE -Continued

Wear suitable protective clothing. AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY. However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection. READ ALL PRECAUTIONS BEFORE USE (HSE 8771)

WASH HANDS AND EXPOSED SKIN before meals and after use.

WASH ANY CONTAMINATION from the skin or eves immediately.

KEEP IN A SAFE PLACE.

Keep out of the reach of children.

VENTILATE TREATED AREAS THOROUGHLY after application.

Keep away from sources of ignition – No smoking. Do not spray on a naked flame, electrical equipment or any incandescent material.

UNTIL DRY, TREATED SURFACES CAN POSE A FIRE RISK.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn even after use.

This product is approved under The Control of Pesticides Regulations 1986 (as amended) for use as directed (HSE 8771).

Emergency Phone UK: 0800 220876 Approval Holder: Bayer Environmental Science SAS, Lyon

Distributed by: Bayer Environmental Science a Business Group of Bayer CropScience Limited 230 Cambridge Science Park - Milton Road Cambridge CB4 OWB - UK

Tel: 00800 1214 9451 Bayer Environmental Science

A Business Operation of Bayer CropScience





