

**DIRECTIONS FOR USE**

- Before use clean the sprayer to remove any oil or oil residues.
- Use a compression sprayer, fitted with a sieve no finer than 50 mesh.
- Half fill the sprayer with clean water and then, using the scoop provided, add Cytrol Forte WP, according to the table below. (One level scoop is equal to 10g product).
- Add the remainder of the water, close the sprayer securely, shake to disperse the contents and pressurise according to the sprayer manufacturer's instructions. Shake the sprayer again if spraying is interrupted for more than 15-30 minutes.
- One litre of ready-for-use(RFU) spray will treat 25 square metres.
- Make spray suspension as required. Do not store RFU spray overnight.
- Do not use water-based sprays around electrical appliances, light fittings or switches.

Target Pest	Scoops Required	Water	Comments
<b>CRAWLING INSECTS</b> Routine Treatment	1 (10g)	5	Maintenance or 'spot' treatment
Heavy Infestation	2 (20g)	5	'Attack or 'clean-out' treatment
<b>FLYING INSECTS</b> Routine Treatment	1 (10g)	5	

**PRECAUTIONS**  
WASH SPLASHES from skin or eyes immediately. WASH HANDS AND EXPOSED SKIN before meals and after use. KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place. DO NOT HANDLE TREATED FABRICS UNTIL DRY AND AIR THOROUGHLY BEFORE USE.



**250g**

# Cytrol

## Forte WP

Contains 400 g/kg of the synthetic pyrethroid cypermethrin, as a wettable powder

**A. residual insecticide**

For professional use in and around domestic and industrial establishments, hospitals (not in occupied wards), military areas, restaurants and eateries (not for use on food preparation surfaces), stores, storage areas, slaughter-houses, refuse tips, dustbins and around manure heaps. For use on all furnishings, and hard horizontal and vertical surfaces where insects may rest, with the exception of food preparation surfaces.

For use against cockroaches, fleas, ants, bee-flies, silverfish, woodlice, earwigs, millipedes, centipedes, houseflies, cluster-flies, mosquitoes and wasps.

This product is approved under The Control of Pesticides Regulations 1986 (as amended) for use as directed.

## PelGar International Ltd.,



Unit 13, Newman Lane, Alton GU34 2QR. UK  
Tel: - +44 (0)1420 80744

Cytrol® is a registered trademark of PelGar International Ltd. UK.

**STATUTORY CONDITIONS RELATING TO USE FOR PROFESSIONAL OPERATORS:**  
The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work. Maximum Dose, 20 gm per 5 litres. water per 125 square metres sprayable surface. Engineering control of operator exposure must be used. WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SUITABLE RUBBER/PVC GLOVES when using. AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY. DO NOT BREATHE THE SPRAY MIST. Otherwise wear respiratory protective equipment and eye protection (see HSE Guidance Booklet HS (G) 53: "Respiratory Protective Equipment - a practical guide for users"). However, Engineering controls may replace personal protective equipment if a COSHH assessment shows that they provide an equal or higher standard of protection. DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES. COVER WATER STORAGE TANKS before application. THIS MATERIAL AND ITS CONTAINER must be disposed of in a safe way. UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM THE TREATED AREAS UNTIL SURFACES ARE DRY. DO NOT APPLY DIRECTLY TO ANIMALS. EXTREMELY DANGEROUS TO FISH AND OTHER AQUATIC LIFE. REMOVE OR COVER FISH TANKS AND BOWLS before application. DO NOT CONTAMINATE watercourses or ground. DANGEROUS TO BEES. ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURES USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE CENTRISIDE COUNCIL FOR BATS.

**READ ALL PRECAUTIONS BEFORE USE. HSE No. 6424**

**APPLY CYTROL FORTE WP AS A COARSE LOW PRESSURE SPRAY AS FOLLOWS:-**  
Cockroaches, Silverfish and Firebrats :- Apply spray to areas where these insects are found, such as skirting boards, storage areas, closets around water pipes, door frames, window frames, around and behind refrigerators, cabinets, sinks, stoves, to the underside of drawers and shelves, to cracks and crevices behind wall-mounted units or fixtures.  
Ants :- Spray 'trails' and around doors, windows or where accumulations of ants are seen.  
Fleas :- Prior to treatment, thoroughly vacuum the area and seal the contents of the vacuum bag before disposal in the refuse.  
Apply spray to carpets and soft furnishings, including the underside of cushions and to areas regularly used.  
Woodlice, Earwigs, Millipedes & Centipedes :- Spray window and door frames and damp areas in or around 'out-houses' and storage areas.  
Houseflies, Clusterflies and Mosquitoes :- Apply spray to walls, ceilings and areas where pests rest. Do not treat exposed food or food preparation areas.  
Wasps :- Spray the nest entrance and the surfaces upon which wasps alight.



**HARMFUL IF SWALLOWED. IRRITATING TO RESPIRATORY TRACT AND SKIN. MAY BE VERY TOXIC TO AQUATIC ORGANISMS. LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT. TO AVOID RISKS TO MAN AND THE ENVIRONMENT COMPLY WITH THE INSTRUCTIONS FOR USE. AVOID CONTACT WITH THE SKIN. WEAR SUITABLE GLOVES. IN CASE OF CONTACT WITH THE EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE. DO NOT EMPTY INTO DRAINS. THIS MATERIAL AND ITS CONTAINER SHOULD BE DISPOSED OF AS WASTE. FOR MORE DETAILED INSTRUCTIONS OR SAFETY DATA SHEETS, REFER TO SPECIAL**

**B.No.:- XXXXXXXXXX    DOM :- XXXXX    DOE :- XXXXX**