



# **DELTASECT**

Highly effective, broad spectrum suspension concentrate

- Applied by compression sprayer
- For use in domestic & commercial areas
- For use against flying & crawling insects

Insecticidal aqueous suspension concentrate against flying and crawling insects

Contains: Deltamethrin 2.394%

# USE INSECTICIDES WITH CAUTION. READ THE LABEL BEFORE USE PROFESSIONAL USE

PRECAUTIONS: FOR USE ONLY AS AN INSECTICIDE, FOR INDOOR USE ONLY. Store the product in its original packaging out the reach of children and pets. Wash hands after handling, processing and before meals. Do not mix with other chemicals and products. Avoid contact with treated surfaces. Do not apply in presence of people (especially children), pets or animals. Diluted insecticide solution should never be kept. A new solution must be prepared every time. Do not apply in presence of food/feedstuff. Remove any food/feedstuff from the application site. Remove any tool that may enter into contact with food/ feedstuff during treatment. Cover water tanks, feed troughs and other surfaces or equipment that may enter into contact with feed/foodstuffs before treatment to avoid any contamination. On emptying the container, RINSE CONTAINER THOROUGHLY by using an integrated pressure rinsing device or manually rinsing three times. Add washings to sprayer. Treated areas can be re-occupied by the general public, pets and other animals once the sprayed surfaces are dry. Shake well before use.

### RESISTANCE MANAGEMENT.

Deltamethrin is used in biocidal products in a limited period and therefore it is not expected to contribute to the development of resistance in target organisms. In order to avoid any resistance development in target organisms it is recommended to alternate the use of deltamethrin-based products with other insecticidal products not containing pyrethroids. The product is not intended to be applied on livestock premises and therefore no contamination to housed animals is expected.

# Emergency measures to protect the environment:

Precautions: Prevent product from entering the environment (surface and ground water), sewerage, drainage, etc. with the construction of protective barriers and closing drains. Communicate to the competent authorities or tipping leaks into waterways, drains, sewers ...

Methods and materials for containment and cleaning: Absorb spill on inert material (sand, kaolin), collect and place in containers for later properly identified as a hazardous waste management.

### FIRST AID INSTRICTIONS

Particulars of likely direct or indirect effects: May cause transient irritation of skin, eves and mucous membranes.

# First aid instructions:

General: Remove victim to fresh air. Immediately remove all contaminated clothing. Keep patient at rest. Maintain body temperature. If the person is unconscious, shorten side with the head lower than the rest of the body and the knees bended. Control breathing, if necessary, artificial respiration. Do not just leave the patient under any circumstance. Remove to fresh to hospital and, whenever possible, take the container or label.

Ingestion: If swallowed do not induce vomiting.

Inhalation: Seek fresh air to the victim (move outdoors). If you notice discomfort, seek medical attention.

Skin Contact: After contact with skin, wash immediately with soap and water.

Eve Contact: Rinse immediately with plenty of water for at least 15 minutes with the eyelid held wide open, not forget to remove the lenses. If you notice discomfort, seek medical attention.

Emergency phone: UK +44 (0) 1865 407333

# TARGET INSECTS

Suspension concentrate insecticide for use against crawling insects including cockroaches and ants by crack and crevice treatment and against flying insects including house fly, mosquitos and wasps as a spot treatment.

# APPLICATION DOSES

Dilute 50 ml of product in 5 L of water (dose per 100 m2).

Maximum 6-8 applications/year, Treatment can be repeated after 2 months

# INTENDED USES

Deltasect is suitable for indoor pest control treatment of the following premises: houses, apartments, neighborhood centers, cinemas, barracks, hotels, restaurants, bars, canteens, hospitals, industrial warehouses...

### USE INSTRUCTIONS

It is advisable to apply DELTASECT through devices such as pumps or sprays,

being careful to apply the solution in cracks and crevices only. The product shall be diluted at a rate of 1:100 in water. The solutions obtained must be sprayed at a dose of 1 litre of in-use solution for 20 m2. The in-use dilution will be applied through a low pressure sprayer (hand-held or knapsack sprayer).

Crack and crevice - application must be performed to a band of 0.1 m width on the treated surfaces.

Spot treatment - dilute product should be applied to greas frequently preferred by flying insects.

On emptying the container, RINSE CONTAINER THOROUGHLY by using an integrated pressure rinsing device or manually rinsing three times. Add washings to sprayer. The product is not intended to be applied on livestock premises and therefore no contamination to housed animals is expected.

### STORAGE

The product should be stored in tightly closed original containers in a cool, dry, well-ventilated area. Avoid high temperatures and direct action of sunlight. Protect from moisture. The containers must be placed in such a way as to allow free air circulation. Do not store with oxidizers, alkalis (caustic solutions), or acids. Keep away from foodstuffs, beverages and feed. Check stocks regularly for damage. Under these conditions, Deltasect can be stored for 4 years.

## **PACKAGING**

Diluted insecticide solution should never be kept. A new solution must be prepared every time. Do not contaminate ponds/lakes, water pipes or ditches with the diluted product or with empty container. Do not empty into drains. On emptying the container, RINSE CONTAINER THOROUGHLY by using an integrated pressure rinsing device or manually rinsing three times. Add washings to sprayer. Do not reuse packaging. Dispose of contents/container in accordance with local waste management regulations.

# DISCLAIMER

Respect the uses, doses, conditions and precautions on the packaging which have been determined based on product characteristics and applications for which it is recommended. The treatment should be performed according to good practice taking into account under your responsibility all the specific factors that may be involved and are beyond our control (materials used, application conditions, product mix, etc.). The manufacturer guarantees the quality of its products sold in their original packaging.

Contains.

Deltamethrin 2.394% Bittering agent 0.002%

Excipients 100% cos Contains 1,2-isobenzi benzisothiazolin-3-one and a 3:1 mixture: 5-chlor-2-methyl-3(2H)-isothiazolone & 2-methyl-3(2H) isothiazolone. May produce an alleraic reaction

H410 Very toxic to aquatic life with long lasting effects. EUH208 Contains 1,2-isobenzi benzisothiazolin-3-one and a 3:1 mixture: 5-chlor-2-methyl-3(2H)isothiazolone & 2-methyl-3(2H) isothiazolone. May produce an allergic reaction.

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P103 Read label before use.

P273 Avoid release to the environment.

P391 Collect spillage. P501 Dispose of contents/container according to local, national/international regulations.

Net content: 1L For Batch No. and Manufacture Date see packaging Shelf life: 4 years Rea number: UK-2017-1032

SHARDA Europe b.v.b.a. Heedstraat 158 1730 Asse DELCHIM UFI: TPXW-G88D-F00S-VWMN



Distributor: 1env Solutions Ltd. Unit 4 Airborne Industrial Estate, Arterial Road. Leigh-on-Sea, Essex, SS9 4EX, United Kingdom

www.lenv.co.uk | +44 (0) 1702 525 202 | sales@lenv.co.uk

Warnina

Authorization holder: