

**STATUTORY CONDITIONS RELATING TO USE**

FOR USE ONLY AS AN INSECTICIDE

FOR USE ONLY BY PROFESSIONAL OPERATORS

FOR INDOOR USE ONLY

Maximum dose: 25ml per 5l water per 100m<sup>2</sup>

Crack and crevice and broadcast spray treatment – public hygiene areas and food handling areas.

Crack and crevice spray treatment only – domestic premises.

The (COSHH) Control of Substances Hazardous to Health Regulations 1999 may apply to the use of this product at work.

Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

DO NOT BREATHE SPRAY MIST. Otherwise wear respiratory protective equipment and eye protection (see HSE Guidance Booklet HS(G) 53: 'Respiratory Protective Equipment – a practical guide for users').

2

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS), SYNTHETIC RUBBER/PVC GLOVES AND FACE PROTECTION when using.

AVOID ALL CONTACT WITH SKIN.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard protection.

UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS UNTIL SURFACES ARE DRY.

WHEN USING DO NOT EAT, DRINK OR SMOKE.

DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

DO NOT APPLY DIRECTLY TO ANIMALS.

COVER WATER STORAGE tanks before application.

REMOVE OR COVER FISH TANKS AND BOWLS before application.

EXTREMELY DANGEROUS TO FISH AND OTHER AQUATIC LIFE.

THIS MATERIAL AND ITS CONTAINER must be disposed of in a safe way.

READ ALL PRECAUTIONS BEFORE USE.


HSE 6287

3

PEST	DILUTION	APPLICATION
Cockroaches, ants, fleas, beetles, earwigs, bedbugs, mites <sup>a</sup> .		Apply to 100m <sup>2</sup> as a course surface spray or as a crack and crevice treatment
Light infestation	Dilute 12.5ml into 5l of water	
Heavy infestation	Dilute 25ml into 5l of water	
Flies <sup>b</sup> , mosquitos <sup>c</sup>		Apply to 100m <sup>2</sup> as a course surface spray
Light infestation	Dilute 12.5ml into 5l of water	
Heavy infestation	Dilute 25ml into 5l of water	

When used in domestic premises apply as a crack and crevice treatment only. (a – re-treat at periods of 2-3 months as necessary, b – re-treat at periods of 3 months as necessary, c – re-treat at periods of one month as necessary.)

4



## NOTE TO DOCTOR

This product contains a pyrethroid insecticide. It is of low toxicity and acute poisoning is unlikely to occur. Transient skin sensations, including facial paresthesia, have been observed in humans. The application of olive oil to affected areas that have been washed and dried has provided prompt relief. Treat symptomatically.

For comprehensive medical advice on the treatment of poisoning, contact the nearest Poisons Information Centre.

'Demand' is a trademark of Syngenta

5

## Do NOT remove this label.



### DIRECTIONS FOR USE

Shake bottle before use.

Apply using any conventional manual or pump sprayer equipped to produce a coarse spray.

Add the appropriate volume of Demand CS to the required volume of clean water and shake to mix well.

Use the auto-measure bottle, fill the reservoir with the correct amount of product by unscrewing the cap a quarter turn and then squeezing the bottle.

This product is approved under the Control of Pesticides Regulations 1986 for use as directed. HSE 6287

1

