


**Dismate PE** Repellent for professional use against flying insects such as Pyralidae food moths in Confectionary manufacturing facilities, dried food processing and storage facilities.

# Dismate<sup>PE</sup>

Management by confusion!



## DIRECTIONS FOR USE:

### USE ONLY AS DESCRIBED ON LABEL

Plot out a layout for the approximate placement of the dispensers before deploying them. The distance between the dispensers should be 8 metres on average, but where obstacles or obstructions are present the dispensers can be placed to accommodate the layout and air dynamics within the factory.

Keep the dispensers in the foil bag until use. Wear gloves when handling the dispensers.

The Dispensers need to be placed 2-3 metres above the floor and the clip fastened in place by a suitable adhesive.

Monitoring should be carried out using Pheromone monitoring traps such as Russell IPM RTU combo 4 traps on a weekly basis, the data recorded and assessments made by the PCO or other suitable person about the levels of insect infestation.

Dispensers should be replaced every 3 months.

This product acts by disrupting the mating between male and female moths. Populations of the pest insects are reduced as the adult insects die and are not replaced by the next generation. Continuous application will result in reduced levels of problem insects in all but the most severe infestations. This product should be used as a part of a pest management program.

This product is the result of over 10 years of hard work, scientific trial and application in the field with proven results.

Russell IPM offers this product either directly or through carefully chosen distributors, with a full range of support to help you manage insects. Russell IPM can help with planning the placement of traps, site visits, data collection and advice on good hygiene practices through experts and professionals in the business. We aim to sell results not the product.



Marketed by Russell IPM Unit 68, Third Avenue, Deeside Industrial Park, Deeside, Flintshire, CH5 2LA. Tel: 01244 281333 Fax: 01244 281878 Email: info@russellipm.net web: www.russellipm.com

## PRECAUTIONS FOR USE

To avoid risks to man and the environment, comply with the instructions for use.

- The COSHH (Control of Substances Hazardous to Health) Regulations 2002 (as amended apply to the use of this product at work.)
- Avoid excessive contamination of coveralls.
- DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.
- This material and its container must be disposed of in a safe way.
- AVOID ALL CONTACT WITH PLANT LIFE.
- COVER ALL WATER STORAGE TANKS before application.
- Do not empty into drains.
- HAZARDOUS TO BEES.
- WASH HANDS AND EXPOSED SKIN before meals and after use.
- Keep in a safe place.

## STATUTORY CONDITIONS OF APPROVAL RELATING TO USE.

FOR USE ONLY BY PROFESSIONAL OPERATORS

FOR USE ONLY AS AN INSECTICIDE

APPLY 1 UNIT 8 TO 10 METERS APART AT A HEIGHT OF 2 TO 3 METERS ABOVE FLOOR LEVEL. ONE UNIT WILL COVER 64 CUBIC METRES.

Users must comply in full with all their legal responsibilities under the Control of Pesticides Regulations 1986 (as amended), including complying with all Conditions of Approval.

**READ ALL PRECAUTIONS BEFORE USE.**

**HSE No. 9346**

**Vapourising mat** Contains Z,E-9,12 Tetradecadienyl acetate 7.5% w/w

Batch Number:

Expiry date:

Contents: