



Ficam[®] W

INSECTICIDE

Contains bendiocarb 80% w/w

T



Toxic
Toxic by
inhalation
and if
swallowed.

N



Dangerous for
the environment.
Very toxic to
aquatic
organisms,
may cause
long-term
adverse effects
in the aquatic
environment.

HSE5390 PCS 93413

GB06119025D - ARTICLE 06086143

500 g e



016119025D

SAFETY

The COSHH (Control of Substances Hazardous to Health) Regulations 2002 (as amended) apply to the use of this product at work.
Avoid excessive contamination of coveralls.

DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

This material and its container must be disposed of in a safe way.
Wear suitable protective clothing and suitable gloves.

AFTER CONTACT WITH SKIN, WASH IMMEDIATELY with plenty of water and seek medical advice immediately. When using do not eat or drink.
Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer). Do not empty into drains.

Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

REMOVE OR COVER ALL FISH TANKS AND BOWLS BEFORE APPLICATION.
UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS UNTIL SURFACES ARE DRY.

DO NOT APPLY DIRECTLY TO LIVESTOCK AND POULTRY.

EXCLUDE ALL PERSONS AND ANIMALS DURING TREATMENT.

COVER ALL WATER STORAGE TANKS before application.

ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981.

BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND,

SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

HAZARDOUS TO BEES.

ACTION SHOULD BE TAKEN TO PREVENT FORAGING BEES GAINING ACCESS TO TREATED NESTS, PREFERABLY BY REMOVING THE COMBS OR BLOCKING THE NEST ENTRANCE.

DO NOT APPLY DIRECTLY TO ANIMALS. *EXCLUDE ANIMALS DURING APPLICATION.

DO NOT APPLY TO CLOTHING OR HUMAN BEDDING.

DO NOT USE ON FILTER BEDS AT SEWAGE TREATMENT WORKS.

In case of insufficient ventilation wear suitable respiratory equipment.

Guidance on suitable respiratory protective equipment and eye protection is provided in HSE Booklet HS(G)53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide".

WASH HANDS AND EXPOSED SKIN BEFORE MEALS AND AFTER USE.

KEEP IN A SAFE PLACE.

Keep out of the reach of children.

Keep locked up.

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

If swallowed, seek medical advice immediately and show this container or label.

Keep away from food drink and animal feeding stuffs.

This product contains an anticholinesterase carbamate compound. DO NOT USE if under medical advice NOT to work with such compounds.

To avoid risks to man and environment, comply with the instructions for use.

Ficam W is recommended for the control of cockroaches, ants, fleas, flies, adult mosquitoes, bed bugs, carpet pests, wasps, bees, moths, silverfish and other bristle tails, firebrats, beetles, earwigs, crickets, booklice, spiders, woodlice, centipedes, millipedes, ticks and thrips.

Ficam W can be used in and around buildings including houses, blocks of flats, hotels, restaurants, hospitals, food factories, warehouses, ships and aircraft.
Aircraft : Ficam W complies with the requirements of AMS1450A and Boeing D6-7127.

SUMMARY OF DOSE RATES

Normal Rate for cockroach control in most situations and for the control of all other crawling insect pests and adult mosquitoes in all situations
50 ml measure = 15 g in 5 litres water (0.3%)
10 ml measure = 3 g in 1 litre of spray.(0.3%)

Special Rate for control of cockroaches in special situations i.e.
• where heavy infestations are present.
• where an extended period of control is required.
• where conditions are particularly unhygienic.
2 x 50 ml measure = 30 g in 5 litres water (0.6%)

Fly Control including houseflies and blowflies
50 ml measure = 15 g + 50 g sugar in 5 litres water (0.3% + 1% sugar)

5 litres of spray covers approximately 125 m2.
The measure referred to in the Directions for Use is the larger of the two measures enclosed with this pack and holds 50 ml = 15 g of Ficam W sufficient for 5 litres of spray.
The smaller measure holds 10 ml = 3 g Ficam W, sufficient for 1 litre of spray.

By application to hard porous and non-porous surfaces, hard furnishings, and soft furnishings (including mattresses.) not for use on clothing or bedding.
Use in continuously occupied areas as a band/spot or crack and crevice treatment only.
It can also be used outdoors at refuse tips and sewage works (not for use on sewage works filter beds).
For use in domestic premises and in animal husbandry situations such as livestock barns and small animal houses e.g. Dog kennels and slaughter houses. Not for use in catteries or where cats are enclosed in a cage/carrier. Not to be applied in the presence of livestock/animals.

DIRECTIONS FOR USE

Application

Ficam W should be applied in mixture with water through hand-held or knapsack sprayers using the following procedure.

1. Ensure that sprayer is clean and free of oily residues. If necessary wash out the sprayer with water and detergent before use.
2. Fill the sprayer with the required volume of water. Add the required quantity of Ficam W. Close the sprayer and shake before use. Re-shake after periods of rest.
3. Apply as a coarse spray. For treatment of exposed surfaces use a flat-fan nozzle with an output of 0.5 – 0.7 litre per minute. Such nozzles are normally marked 8002 or 02F80.
4. To spray a single band e.g. at wall/floor junctions hold the nozzle approximately 0.5 metre from the surface to be sprayed and spray at a speed of 0.5 metre per second. This will produce a sprayed band 0.8 metre wide. To spray large areas of surface e.g. carpets, proceed as above but spray overlapping bands 0.5 metre apart. This will ensure an even coverage of spray.
5. To spray cracks and crevices, use a pin-stream nozzle or special crack and crevice extension.

Sprayed Surfaces : Ficam W sprays can be applied to any surface which is not damaged by water alone. Ficam W will remain active for many weeks at the normal rate and greater residuality will be achieved at the special rate. The residual life of the deposit will vary depending upon the cleanliness and nature of the surface to which it is applied. Therefore re-treat as necessary. Ficam W treated premises can be re-occupied by children, pets and other animals once the sprayed surfaces are dry.

Cockroaches: Use one (50 ml = 15 g) measure in 5 litres of water. Spray hiding, runway and scavenging areas paying particular attention to cracks and crevices and areas behind or under machinery, kitchen equipment or pipework, which are usual cockroach harbourages. In situations where very heavy cockroach infestations are present, where an extended period of control is required, e.g. ships and aircraft, or where conditions are particularly unhygienic, use two (2 x 50 ml = 30 g) measures in 5 litres of water. For complete eradication of infestations, it is essential to conduct spray treatment with Ficam W in conjunction with treatment of inaccessible areas such as service ducts and roof voids with a suitable insecticidal dust such as Ficam D.

Ants: Use one (50 ml = 15 g) measure in 5 litres of water. Spray in and around nests, runs and foraging areas. A barrier spray of Ficam W around buildings, paying particular attention to doors, windows and other entry points, will prevent entry of foraging ants from outside.

Fleas: Use one (50 ml = 15 g) measure in 5 litres of water. Spray floor coverings and furniture particularly in areas likely to be infested including sleeping areas of dogs and cats but not directly on people, animals or bedding.

Flies: Use one (50 ml = 15 g) measure in 5 litres of water. Add 50 g of sugar and stir to dissolve. Identify where flies settle and spray the surface. The sugar acts as a bait encouraging flies to remain on the treated surface long enough to pick up a lethal dose of insecticide.

Adult Mosquitoes: Use one (50 ml = 15 g) measure in 5 litres of water.

Spray ceilings, walls and other surfaces where mosquitoes settle.

Stored Product Pests: Use one (50 ml = 15 g) measure in 5 litres of water.

Spray the entire structure of storage areas after cleaning but exclude areas, which come into contact with food.

Bed Bugs: Use one (50 ml = 15 g) measure in 5 litres of water. Spray bed frames and mattresses and cracks and crevices in adjacent wall and floor areas. Do not spray bed linen or other materials which come into direct contact with occupants of the bed.

Carpet pests: Use one (50 ml = 15 g) measure in 5 litres of water. Spray infested carpets paying particular attention to edges of fitted carpets.

Wasps and Wild Bees: Use one (50 ml = 15 g) measure in 5 litres of water. Spray nest entrances and surrounding areas thoroughly.

*This product should only be used against feral bees (Apis mellifera) if other methods of control are not feasible or found to be ineffective.

Members of the British Beekeepers Association (01203 696679) and the National Bee Unit (01904 462510) can provide advice and contacts to remove accessible feral honey bee colonies.

*Action should be taken to prevent foraging bees gaining access to treated bees nests preferably by removing the combs or blocking nest entrances.

Silverfish and Firebrats: Use one (50 ml = 15 g) measure in 5 litres of water. Spray cracks and crevices in cupboards and bookshelves and around kitchen fittings.

Other Crawling Pests including Ground Beetles, Earwigs, Crickets, Booklice, Spiders, Woodlice, Centipedes, Millipedes,

Ticks and Thrips.

Use one (50 ml measure = 15 g) measure in 5 litres of water. Spray wherever these pests are found in and around buildings.

STATUTORY CONDITIONS OF APPROVAL RELATING TO USE

FOR USE ONLY BY PROFESSIONAL OPERATORS.

Restrictions: NOT TO BE USED IN CATTERIES OR WHERE CATS ARE ENCLOSED IN CAGE/CARRIER.
Normal Rate: add 15 g of product to 5 L of water.
Special rate : add 30 g of product to 5 L of water.
For fly control add 15 g of product plus 50 g of sugar to 5 L of water.
Then apply at a rate of 5 L of diluted product per 125 square metres.

Users must comply in full with all their legal responsibilities under the Control of Pesticides Regulations 1986 (as amended), including complying with all Conditions of Approval.

READ ALL PRECAUTIONS BEFORE USE. HSE5390 PCS 93413

FIRST AID

If Ficam W is swallowed induce vomiting unless the patient is unconscious or partly unconscious. The patient must be kept strictly at rest and be examined by a doctor or taken to hospital without delay.

When stored in a dry place at a temperature not exceeding 35°C Ficam W has a shelf life of 3 years.

This product is approved under The Control of Pesticides Regulations 1986 for use as directed (HSE 5390).

FICAM W - GB - 500 G - GB06003906D - ARTICLE 06086143

Emergency Phone UK: 0800 220876
Overseas 24 hr +44(0)1635-563000



Approval Holder:
Bayer CropScience

Bayer Environmental Science
Bayer CropScience Limited
230 Cambridge Science Park

Ficam® is a registered
trademark of Bayer.

Milton Road
Cambridge CB4 0WB
www.pestcontrol-expert.com
Tel : 00 44 (0) 1223 226680

© Copyright of Bayer 2004

06003906D