

FLAMMABLE: Harmful, may cause lung damage if swallowed. Irritating to eyes, respiratory system and skin. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Avoid contact with the eyes. In case of contact with the eyes, rinse immediately with water and seek medical advice. Avoid contact with skin and clothing. In case of contact with skin, wash immediately with plenty of water. Do not empty into drains. This material and its container must be disposed of as hazardous waste. Avoid release to the environment. Refer to special instructions / safety data sheets. If swallowed, do not induce vomiting, seek medical advice immediately and show this container or label. To avoid risks to man and the environment, comply with the instructions for use.



Nylar 100

Contains pyriproxyfen 10.2 % w/w (100 g/l). Solvent: naphtha (petroleum) heavy aromatic.

For use indoors against Siphonaptera. For use on hard porous, non-porous surfaces and soft furnishings in domestic premises including areas surrounding pet bedding. Not for use on bedding. For use in non-domestic premises, including hospitals (not for use in occupied wards). For use on ships and in vehicles. Not for outdoor use.

This product may be tank mixed with, FICAM W (AGREVO UK Ltd., HSE 5390), K-Othrine Rapide (AGREVO UK Ltd., HSE 5996), K-Othrine (AGREVO UK Ltd., HSE 5097) and CYTROL FORTE WP (PELGAR Ltd HSE 6424) (see insert for full info.)

**24 x 3 ml
unit-dose vials**



International

Unit 12 & 13, Newman Lane, Alton, Hants
GU34 2QR Tel: ++44 (0) 1420 80744

See INSERT for FULL INSTRUCTIONS

Nylar 100

Emulsifiable Concentrate
Contains pyriproxyfen 10.2 % w/w (100 g/l)
Solvent: naphtha (petroleum) heavy aromatic

FLAMMABLE: Harmful, may cause lung damage if swallowed. Irritating to eyes, respiratory system and skin. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Avoid contact with the eyes. In case of contact with the eyes, rinse immediately with water and seek medical advice. After contact with skin, wash immediately with plenty of water. Do not empty into drains. This material and its container must be disposed of as hazardous waste. Avoid release to the environment. Refer to special instructions / safety data sheets. If swallowed, do not induce vomiting, seek medical advice immediately and show the container or label. To avoid risks to man and the environment, comply with the instructions for use.



STATUTORY CONDITIONS RELATING TO USE FOR INDOOR USE ONLY. FOR USE ONLY BY PROFESSIONAL OPERATOR
The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work. Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment. WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) & SYNTHETIC RUBBER/PVC GLOVES when using, plus EYE PROTECTION when diluting. AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY. DO NOT BREATHE THE SPRAY MIST. Othrine wear respiratory protective equipment and eye protection (See HSE Guidance Booklet HS (G) 53: 'Respiratory Protective Equipment - a practical guide for users.'). However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide equal or higher standard of protection. COVER FOOD, FOOD PREPARATION EQUIPMENT AND EATING UTENSILS before application. DO NOT APPLY TO SURFACES on which food is prepared, stored or eaten. COVER WATER STORAGE TANKS before application. UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED SURFACES UNTIL THEY ARE DRY. THIS MATERIAL AND ITS CONTAINER must be disposed of in a safe way. WHEN USING DO NOT EAT, DRINK OR SMOKE. REMOVE OR COVER ALL FOOD STUFFS before application. DO NOT APPLY TO BEDDING. AVOID naked flames and hot surfaces. DO NOT APPLY DIRECTLY TO ANIMALS. DANGEROUS TO FISH AND OTHER AQUATIC LIFE. Do not contaminate water courses or ground. DO NOT APPLY IN OR AROUND DRAINS. VACATE TREATMENT AREAS before application. Read all precautions before use. HSE No. 6234

For use indoors against Siphonaptera. For use on hard porous, non-porous surfaces and soft furnishings in domestic premises including areas surrounding pet bedding. Not for use on bedding. For use in non-domestic premises, including hospitals (not for use in occupied wards). For use on ships and in vehicles. Not for outdoor use.

This product may be tank mixed with, FICAM W (AGREVO UK Ltd., HSE 5390), CRACKDOWN RAPIDE (AGREVO UK Ltd., HSE 5996), CRACKDOWN (AGREVO UK Ltd., HSE 5097), CYTROL FORTE WP (PELGAR Ltd HSE 6424 and COOPEX WP (AGREVO UK Ltd., HSE 5096).

When used alone:- Dilute 3 ml of Nylar 100 with 5 litres of water (to give 0.006 % w/v pyriproxyfen, then apply at a rate of 1 litre of diluted product per 20 square metres of surface (to give 3 mg of pyriproxyfen per square metre). Repeat application every 4 months.

When using as a tank mix with any of the listed products:- first dilute the selected product at its manufacturer's recommended rate. Mix in the 3 ml of Nylar 100 from the unit dose vial. Apply the mixture in accordance with the surface coverage rates stated on the listed product label.

PelGar International Ltd.,

Unit 12 & 13, Newman Lane, Alton, Hants GU34 2QR Tel: ++44 (0) 1420 80744