

SAFETY DATA SHEET

Page 1 of 4

Nylar 4 EW (HSE No.: 6373)

Revision No. 1
Issue date: 23 October 2003

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY

Product name Nylar 4 EW

Company PelGar International Ltd

Unit 13, Newman Lane Industrial Estate, Newman Lane, Alton, Hampshire

GU34 2QR

Tel +44 (0) 1420 80744 Fax +44 (0) 1420 80733

Product code PGF263

2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components Pyriproxyfen 1-10%

95737-68-1 N;R50/53

Solvent Naphtha (petroleum), Heavy aromatic 1-10%

N;R51/53 Xn;R65

Propylene glycol 1-10%

57-55-6

3. HAZARDS IDENTIFICATION

Main hazardsToxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

4. FIRST AID MEASURES

Skin contact May cause skin irritation in susceptible persons. Remove contaminated clothing Wash off

immediately with soap and plenty of water. If irritation persists obtain medical attention

Contaminated clothing should be washed and dried before re-use

Eye contact May cause eye irritation with susceptible persons. Rinse immediately with plenty of water for at

least 15 minutes. If irritation persists obtain medical attention

Inhalation Inhalation of mist or spray may cause irritation of the respiratory system. In the event of exposure to

mist or spray, or solvent fumes Move to fresh air. Obtain medical advice immediately.

Ingestion Do not induce vomiting. If conscious, wash out mouth with water and obtain medical attention.

Show the container label or this safety data sheet to the doctor.

General advice In the case of accident or if you feel unwell, seek medical advice immediately (show the label where

possible).

5. FIRE-FIGHTING MEASURES

Suitable extinguishing

media

Keep fire exposed containers cool by spraying with water if exposed to fire. Fight surrounding fire

with alcohol resistant foam, dry powder, carbon dioxide or water as a fog.

Extinguishing media which must not be used for safety

reasons

Do not use water jets

Specific hazardsThe product has a flash point but does not support combustion. Avoid run off into watercourses,

drains and sewers.

Nylar 4 EW

Revision No. 1
Issue date: 23 October 2003

Special protective equipment for firefighters

In the event of fire, wear self-contained breathing apparatus, suitable gloves and boots.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear suitable protective clothing, gloves and eye/face protection. See section 8.

Environmental precautions Contain or absorb leaking liquid with earth or sand. Do not allow material to contaminate ground

water system. Do not flush into surface water or sanitary sewer system. Prevent further leakage or

spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material. Transfer to a suitable labelled container. Subsequently, wash

the spill area with water, taking care to prevent washings from entering surface water drains.

Spillages or uncontrolled discharges into watercourses must be notified to the appropriate regulatory

authority or the National River Authority

7. HANDLING AND STORAGE

Handling If splashing is likely to occur wear approved eye protection. If spray mists are likely, wear a suitable

approved respirator. If skin contact is likely to occur wear rubber gloves and suitable impervious protective clothing. Use in a well ventilated area where possible. Always use good personal hygiene procedures when handling chemicals. Do not smoke eat or drink while handling this product. Wash hands, face and exposed skin after using, and before eating, drinking or smoking. Read the label

before use.

Storage Keep container tightly closed. Keep in a dry, cool and well-ventilated place. Keep out of reach of

children. Keep away from food and animal feedstuffs

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limit(s) Solvent Naphtha (petroleum), Heavy aromatic

TWA(ppm):25 (for trimethyl benzene) TWA(mg/m3):125 for (trimethyl benzene)

Propylene glycol

TWA(ppm):150 TWA(mg/m3):470

Respiratory protection Suitable approved respirator if exposed to spray mists

Hand protection Synthetic rubber or PVC gloves

Eye protection If splashes are likely to occur, wear: goggles

Skin and body protection Impervious clothing boots

9. PHYSICAL AND CHEMICAL PROPERTIES

Description Liquid

Colour White

Odour Slightly aromatic

pH 6.5

Boiling point/range 100°C

Flash point >between 22°C and 55°C

Explosive properties Not applicable

Oxidizing properties Not applicable

Vapour pressure Not available

Relative density 1.01

Nylar 4 EW

Revision No. 1
Issue date: 23 October 2003

Water solubility Miscible with water

Partition coefficient (n-octanol/water)

Not available

10. STABILITY AND REACTIVITY

Stability Stable under recommended storage conditions.

Conditions to avoid Heat, flames and sparks.

Materials to avoid Strong oxidising agents

Hazardous decomposition

products

Combustion or thermal decomposition will produce toxic and irritant fumes

11. TOXICOLOGICAL INFORMATION

Acute toxicity ORL RAT LD50 > 10000mg/Kg

DERMAL RAT LD50>5000mg/Kg

Primary irritation May cause eye/skin irritation.

Sensitization Inhalation of aerosol or skin contact may cause sensitization of susceptible persons.

mutagenic effects Not available

carcinogenic effects Not available

12. ECOLOGICAL INFORMATION

Ecotoxicity Toxic to aquatic organisms may cause long-term adverse effects in the aquatic environment.

Further information: This product must not enter water discharge system. Inform appropriate authority if large spillage

enters drains.

13. DISPOSAL CONSIDERATIONS

General Information Dispose of as special waste in compliance with local and national regulations

Contaminated packaging Dispose of as unused product.

14. TRANSPORT INFORMATION

ADR/RID

UN-No 3082 Packing group III Class 9 Hazard ID 90

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(contains alkyl (C3-C5) benzene and pyriproxyfen)

IMO

UN-No 3082 Packing group III
Class 9 Marine pollutant No

EmS F-A S-F

IATA-DGR

UN-No 3082 Packing group III packaging 914

15. REGULATORY INFORMATION

Symbol(s):



Nylar 4 EW

Revision No. 1
Issue date: 23 October 2003

R -phrase(s) R10 - Flammable

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

S -phrase(s) S60 - This material and its container must be disposed of as hazardous waste.

S61 - Avoid release to the environment. Refer to special instructions/safety data sheets. To avoid risks to man and the environment, comply with the instructions for use.

16. OTHER INFORMATION

Text of R phrases mentioned in Section 2

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R65 - Harmful: may cause lung damage if swallowed.

Sources of key data used to compile the datasheet

Raw material suppliers Safety Data Sheets.

EH40 CHIP 2002

Insecticide for professional use only.

Replaces Revision No.: 2004-I-03

Recommended restrictions