

USES AND APPLICATIONS

PERMOST 0.5% DUST POWDER can be used for the control of:

Animal Pests - such as fleas, lice, ticks, flies and red mites by treatment of animal and avian houses, bedding, blankets and rugs.

Crawling pests - such as earwigs, silverfish, bristletails, mites, fleas, ticks, beetles, cockroaches, moth larvae, ants, bedbugs, booklice, woodlice and spiders.

Wasps - by treating in and around wasp nests.

DIRECTIONS FOR USE

PERMOST 0.5 % DUST POWDER is ready to use and should not be diluted or mixed with other chemicals.

For Use in Animal Husbandry:

PERMOST 0.5 % DUST POWDER can be used in pet shops, veterinary practices, animal and avian housings, pigeon lofts etc. The product may be applied directly from the container as a fine dust over the surface to be treated. Re-treat as necessary.

For Use against Animal Pests:

PERMOST 0.5 % DUST POWDER may be used as an aid to control animal pest infestations. Apply the powder to rugs, bedding, blankets and housings used by infested animals. DO NOT apply directly to animals. The product may be applied directly from the container as a fine dust over the surface to be treated. Re-treat as necessary.

For Use against Animal Crawling Pests:

PERMOST 0.5 % DUST POWDER may be used for the control of many crawling pests. Apply the powder to the floor alongside skirting boards, and at wall/floor junctions around pipes, rubbish chutes, electrical services, or any other areas where pests are harboured. DO NOT spread randomly on the floor. Ensure powder enters all cracks, crevices, and dead spaces. Leave the powder undisturbed for as long as possible. Re-treat as necessary.

For Use against Ants and Wasp Nests:

PERMOST 0.5 % DUST POWDER may be used for the control of ants and wasps. For ant control remove the nest if possible and treat premises at all possible invasion points. For wasp control apply liberally to nest and nest entry/exit holes. Carefully treat at dusk when nest activity is reduced.

hi PERMOST

0.5% DUST POWDER, READY TO USE



N: DANGEROUS FOR THE ENVIRONMENT

R50/53 - VERY TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT

S1/2 - Keep locked up and out of reach of children.
S13 - Keep away from food, drink and animal feeding stuffs.
S22 - Do not breathe dust.
S29 - Do not empty into drains.
S46 - If swallowed, seek medical advice immediately and show the container or label.
S61 - Avoid release to the environment. Refer to special instructions/safety data sheets.

To avoid risks to man and the environment, comply with the instructions for use.

Contains 0.5% w/w Permethrin (25:75 cis/trans) A Permethrin-based powder of low mammalian toxicity providing rapid knockdown and kill of insects together with sustained activity. Contains Peremthrin. May produce an allergic reaction.

USE PRECAUTIONS

USE ONLY AS DIRECTED ON THE LABEL. WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS), SUITABLE PROTECTIVE GLOVES AND SUITABLE APPROVED RESPIRATORY EQUIPMENT AND GOGGLES WHEN APPLYING OR HANDLING THE PRODUCT. THIS PRODUCT MUST NOT BE USED AGAINST HOUSEFLIES IN INTENSIVE OR CONTROLLED ENVIRONMENTS EG. ANIMAL HOUSE AS IT IS LIKELY TO CAUSE CONTROL FAILURE DUE TO INSECTICIDE RESISTANCE. COLLECT EGGS AND REMOVE FEED, EXPOSED WATER AND MILK BEFORE APPLICATION. WASH CONTAMINATION from skin and eyes immediately. WASH HANDS AND EXPOSED SKIN before meals and after use. KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place. KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS. ENSURE ADEQUATE VENTILATION when applying. VENTILATE TREATED AREA THOROUGHLY after application. IF SWALLOWED, do not induce vomiting; seek medical advice immediately and show this container or label EMPTY CONTAINER COMPLETELY AND DISPOSE OF SAFELY. KEEP OUT OF REACH OF CHILDREN.

STATUTORY CONDITIONS RELATING TO USE

FOR USE ONLY AS AN INSECTICIDE

FOR PROFESSIONAL USE

Dose: See Section "DIRECTIONS FOR USE" for details on dose rates

PRECAUTIONS

The (COSHH) Control of Substances Hazardous to Health Regulation 2002 may apply to the use of this product. FOR USE ONLY BY PROFESSIONAL OPERATORS. Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment. WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SYNTHETIC RUBBER/ PVC GLOVES when using. AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY. DO NOT BREATHE DUST. Otherwise wear respiratory protective equipment and eye protection (see HSE Guidance Booklet HS (G) 53: "Respiratory Protective Equipment - a practical guide for users"). However engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection. WHEN USING DO NOT EAT DRINK OR SMOKE. DO NOT APPLY in the presence of naked flames, hot surfaces or unprotected electrical equipment. EXCLUDE ALL PERSONS AND ANIMALS DURING TREATMENT. EXTREMELY DANGEROUS TO FISH AND OTHER AQUATIC LIFE. REMOVE OR COVER FISH TANKS AND BOWLS before application. DO NOT CONTAMINATE watercourses or ground. HAZARDOUS TO BEES. AVOID ALL CONTACT WITH PLANT LIFE. DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES. COVER WATER STORAGE TANKS before application. THIS MATERIAL AND ITS CONTAINER must be disposed of in a safe way. DO NOT APPLY DIRECTLY TO LIVESTOCK AND POULTRY. Protect milk machinery and milk containers from contamination. DO NOT APPLY DIRECTLY TO ANIMALS.

READ ALL PRECAUTIONS BEFORE USE, HSE No. 6184. PCS No: 96762
This product is approved under the Control of Pesticides Regulations 1986 (as amended) for use as directed.



HOCKLEY INTERNATIONAL LTD
Hockley House, 3 Longstone Road, Ashbrook Office Park,
Manchester M22 5LB, United Kingdom.
Telephone: +44 (0)161 209 7400, Fax: +44 (0)161 209 7401

PERMOST is a registered trade mark of Hockley International Ltd

4 KG

Batch No: []

Manuf. Date: 00/00

Exp. Date: 00/00