

# PERMOST UNI FLY SPRAY

### FOR PUBLIC HYGIENE, FOODSTORE PRACTICE AND ANIMAL HUSBANDRY

A ready to use professional fly killer giving rapid knockdown. For use against flies (2 winged), including mosquitoes, moths, wasps, ants, cockroaches, earwigs, bristletails, fleas, beetles, mites, ticks and lice. For application in domestic situations

(including kitchens), public hygiene areas, hospitals (excluding occupied hospital wards), military use in and around barracks, food storage areas, in and around farm buildings and in bulk milk rooms, dairies and milking parlours. For additional use in animal and avian housing, ant and wasps nests and refuse tips. Product may be applied to hard porous and non-porous surfaces.

USE ONLY AS DIRECTED ON LABEL, FOR USE ONLY BY PROFESSIONAL OPERATORS.

PLEASE REFER TO SAFETY DATA SHEET BEFORE USE.

#### **DIRECTIONS FOR USE**

PERMOST UNI is ready to use and should not be diluted or mixed with other chemicals.

SPACE TREATMENT FOR THE CONTROL OF FLYING INSECTS

PERMOST UNI should be applied through a hand sprayer or a fan assisted rotary atomiser as a fine mist. Alternatively the product can be applied through a fogging machine. An application rate of 1 ml of product per cubic metre is required. One litre is sufficient to treat 1000 cubic metres.

#### SURFACE SPRAYING FOR THE CONTROL OF FLYING AND CRAWLING INSECTS

PERMOST UNI should be applied through a hand sprayer or boom and nozzle sprayer apparatus as a medium or coarse spray. An application rate of 10ml of product per square metre is required. One litre is sufficient to treat 100 square metres.





Xn, HARMFUL. N - DANGEROUS FOR THE ENVIRONMENT

R50/53 - VERY TOXIC TO AQUATIC ORGANISMS.

MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT. R65 - HARMFUL: MAY CAUSE LUNG DAMAGE IF SWALLOWED.

- \$1/2 Keep locked up and out of the reach of children.
- S23 Do not breathe gas/fumes/vapour/spray.
- \$29 Do not empty into drains.
- S46 If swallowed, seek medical advice immediately and show this container or label.
- \$51 Use only in well-ventilated areas.
- S62 If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

To avoid risks to man and the environment, comply with the instructions for use.

#### **USE PRECAUTIONS**

USE ONLY AS DIRECTED ON THE LABEL. WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS), SUITABLE PROTECTIVE GLOVES AND SUITABLE APPROVED RESPIRATORY EQUIPMENT AND GOGGLES WHEN APPLYING THE PRODUCT THROUGH A FOGGING MACHINE, SPRAYING, OR HANDLING THE PRODUCT. DO NOT SPILL OR SPRAY DIRECTLY ONTO PLASTIC MATERIALS. FLAMMABLE LIQUID. Do not spray near naked flames. Flash point > 55°C. THIS PRODUCT MUST NOT BE USED AGAINST HOUSEFILES IN INTENSIVE OR CONTROLLED ENVIRONMENTS EG. ANIMAL HOUSE AS IT IS LIKELY TO CAUSE CONTROL FAILURE DUE TO INSECTICIDE RESISTANCE. COLLECT EGGS AND REMOVE FEED, EXPOSED WATER AND MILK BEFORE APPLICATION. WASH ANY CONTAMINATION from eyes or skin immediately. WASH HANDS AND EXPOSED SKIN before meals and after use. Keep only in original container. Keep container tightly closed. KEEP IN A SAFE PLACE. KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS. ENSURE ADEQUATE ENTILLATION when applying. VENTILATE TREATED AREA THOROUGHLY after application. EMPTY CONTAINER COMPLETELY AND DISPOSE OF SAFELY. KEEP OUT OF REACH OF CHILDREN. Keep away from sources of ignition - No smoking. DO NOT APPLY in the presence of naked flames, hot surfaces or unprotected electrical equipment.

USE ONLY IN ACCORDANCE WITH THE DIRECTIONS ON THE LABEL
THIS PRODUCT IS APPROVED UNDER THE CONTROL OF PESTICIDES REGULATIONS 1986 (AS AMENDED) FOR USE AS DIRECTED,
HSE NO 6399

STATUTORY CONDITIONS RELATING TO USE FOR USE ONLY AS AN INSECTICIDE FOR PROFESSIONAL USE Dose: See Section "DIRECTIONS FOR USE" for details on dose rates

#### PRECAUTIONS

The (COSHH) Control of Substances Hazardous to Health Regulation 2002 may apply to the use of this product. FOR USE ONLY BY PROFESSIONAL OPERATORS. Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment. WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SYNTHETIC RUBBER/PVC GLOVES when using. AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY. DO NOT BREATHE FOG OR SPRAY MIST. Otherwise wear respiratory protective equipment and eye protection (see MES Guidance Booklet HS (G) 53: "Respiratory Protective Equipment - a practical guide for users"). However engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection. DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES. EXCLUDE ALL PERSONS AND ANIMALS DURING TREATMENT. EXTREMELY DANGEROUS TO HISH AND OTHER AQUATIC LIFE. REMOVE OR COVER FISH TANKS AND BOWLS before application. Do not contaminate ground, water bodies or water courses with chemicals or used container. HAZARDOUS TO BEES. AVOID ALL CONTACT WITH PLANT LIFE. DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES. COVER ALL WATER STORAGE TANKS before application. THIS MATERIAL AND ITS CONTAINER must be disposed of in a safe way. DO NOT APPLY DIRECTLY TO LIVESTOCK AND POULTRY. Protect milk machinery and milk containers from contamination. DO NOT APPLY DIRECTLY TO ANIMALS. IF SWALLOWED, do not induce vomiting: seek medial advice immediately and show this container or label. Do not empty into drains. Use only in well ventilated areas. KEEP AWAY FRON TREATED SURFACES UNTIL DRY.

READ ALL PRECAUTIONS BEFORE USE, HSE No. 6399 - PCS No. 96763

MANUFACTURING COMPANY:
HOCKLEY HOUSE, 3 LONGSTONE ROAD, ASHBROOK OFFICE PARK, MANCHESTER M22 5LB UNITED KINGDOM
TEL: 0161 209 7400 FAX: 0161 209 7401

## Up To 5 LTR



Hockley House, 3 Longstone Road, Ashbrook Office Park, Manchester M22 5LB, United Kingdom. Telephone: +44 (0)161 209 7400, Fax: +44 (0)161 209 740

PERMOST is a registered trade mark of Hockley International Ltd

Batch No: []

Manuf Date: 00/00

Exp Date: 00/00