SAFETY DATA SHEET RASCAL BRODIFACOUM PASTA BAIT

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name RASCAL BRODIFACOUM PASTA BAIT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Ready for use Rodenticide containing 50ppm Brodifacoum.

Uses advised againstNo specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Supplier 1ENV SOLUTIONS LTD

Unit 4 Airbourne Industrial Estate

Arterial Road Leigh on Sea Essex SS9 4EX United Kingdom 01702 617057

1.4. Emergency telephone number

Emergency telephone 01702 617057

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Repr. 1A - H360D STOT RE 2 - H373

Environmental hazards Not Classified

2.2. Label elements

Pictogram



Signal word Danger

Hazard statements H360D May damage the unborn child.

H373 May cause damage to organs (Blood) through prolonged or repeated exposure.

Precautionary statements P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust. P280 Wear protective gloves.

P308+P313 IF exposed or concerned: Get medical advice/ attention.

P314 Get medical advice/ attention if you feel unwell.

P405 Store locked up.

P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

RASCAL BRODIFACOUM PASTA BAIT

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

2,2'-Iminodiethanol <0.1%

CAS number: 111-42-2 EC number: 203-868-0

Classification

Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT RE 2 - H373

BRODIFACOUM (EU) 0.005%

Classification

Acute Tox. 1 - H300 Acute Tox. 1 - H310 Acute Tox. 1 - H330 Repr. 1A - H360D STOT RE 1 - H372 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

Denatonium Benzoate 0.001%

CAS number: 3734-33-6 EC number: 223-095-2

Classification

Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information In case of accident or if you feel unwell, seek medical advice immediately (show the label

where possible). Advice for Medical Doctors: Brodifacoum is an indirect anti-coagulant. Phytomenadione, Vitamin K, is antidotal. Determin prothrombin time not less than 18 hours after consumption. If elevated, administer Vitamin K1 until prothrombin time normalises. Continue determination of prothrombin time for two weeks after withdrawal of antidote and

resume treatment if elevation occurs in that time.

Inhalation Due to the physical nature of this product, exposure by this route is unlikely. IF INHALED:

Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Get medical attention if symptoms are severe or persist.

RASCAL BRODIFACOUM PASTA BAIT

Ingestion Rinse mouth thoroughly with water. Do not induce vomiting. Get medical attention

immediately.

Skin contactMay cause irritation to susceptible persons. Immediately take off all contaminated clothing.

Wash skin thoroughly with soap and water. Get medical attention if symptoms are severe or

persist after washing.

Eye contact May cause eye irritation to susceptible persons. Rinse immediately with plenty of water and

seek medical advice.

Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation Unlikely to present an inhalation hazard. If symptoms develop move the exposed person to

fresh air. Immediately obtain medical advice.

Ingestion Rinse mouth. Do NOT induce vomiting. Call a doctor immediately.

Skin contact May cause irritation.

Eye contact May be slightly irritating to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry

powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards None known.

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances:

Harmful gases or vapours.

5.3. Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers

exposed to flames with water until well after the fire is out.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

RASCAL BRODIFACOUM PASTA BAIT

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills

immediately and dispose of waste safely. Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a

spillage. For waste disposal, see Section 13.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health

hazards. See Section 12 for additional information on ecological hazards. For waste disposal,

see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions As the product is a paste it is unlikely to produce dust. Read and follow manufacturer's

> recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Keep container tightly sealed

when not in use.

Advice on general occupational hygiene Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash

contaminated clothing before reuse. Wash after use and before eating, smoking and using the

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep away from food, drink and animal feeding stuffs. Keep Storage precautions

> only in the original container. Keep container tightly closed, in a cool, well ventilated place. Protect containers from damage. Keep away from oxidising materials, heat and flames.

Storage class Unspecified storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

Usage description Ready to use rodenticide containing 50 ppm Brodifacoum.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

Propane-1,2-diol (Propane-1,2-diol Particulates) WEL 8-Hr limit mg/M3: 10

Propane-1,2-diol (Propane-1,2-diol total vapour and particulates) WEL 8-Hr limit ppm: 150

WEL 8Hr limit mg/M3: 474

Personal protective equipment for the body should be selected based on the task being

Flour WEL 8-Hr limit mg/M3: 10 WEL 15 min limit mg/M3: 30

8.2. Exposure controls

Appropriate engineering

Provide adequate ventilation.

controls

Personal protection Keep away from food stuffs.

Eye/face protection Avoid contact with eyes.

Hand protection Suitable chemical resistant gloves are recommended for professional users.

Other skin and body

performed and the risks involved.

protection

RASCAL BRODIFACOUM PASTA BAIT

Hygiene measures Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Respiratory protection Provide adequate ventilation.

Environmental exposure

controls

Keep container tightly sealed when not in use. Avoid release to the environment.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance Paste.

Colour Red or Blue

Odour Characteristic.

Odour threshold No information available.

pH No information available.

Melting point Not relevant.

Initial boiling point and range No information available.

Flash point No information available.

Evaporation rate No information available.

Evaporation factor No information available.

Flammability (solid, gas) combustible

Upper/lower flammability or

explosive limits

No information available.

Other flammability No information available.

Vapour pressure Not relevant.

Vapour density Not relevant.

Relative density

No information available.

Bulk density

No information available.

Solubility(ies) No information available.

Partition coefficient Not relevant.

Auto-ignition temperature No information available.

Decomposition Temperature No information available.

Viscosity No information available.

Explosive properties Not considered to be explosive.

Explosive under the influence

of a flame

Not considered to be explosive.

Oxidising properties Not oxidising.

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

RASCAL BRODIFACOUM PASTA BAIT

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stable at normal ambient temperatures and when used as recommended. Stable under the

prescribed storage conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous

No potentially hazardous reactions known.

reactions

products

10.4. Conditions to avoid

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials to avoid Keep away from oxidising materials, heat and flames.

10.6. Hazardous decomposition products

Hazardous decomposition

Does not decompose when used and stored as recommended. Thermal decomposition or

combustion products may include the following substances: Harmful gases or vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅o) >2000 mg/kg

Acute toxicity - dermal

Notes (dermal LD₅₀) >2000 mg/kg

Acute toxicity - inhalation

Notes (inhalation LC50) >5 mg/l (Dust)

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitroBased on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

IARC carcinogenicity None of the ingredients are listed or exempt.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity -

development

May damage the unborn child.

RASCAL BRODIFACOUM PASTA BAIT

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure STOT RE 2 - H373 May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

Aspiration hazard Not relevant. Solid.

General information Avoid contact during pregnancy/while nursing. May damage fertility. The severity of the

symptoms described will vary dependent on the concentration and the length of exposure.

Inhalation No specific symptoms known.

Ingestion See section 4 - First Aid

Skin contact Prolonged contact may cause dryness of the skin.

Eye contact No specific symptoms known.

Route of exposure Ingestion Inhalation Skin and/or eye contact

Toxicity of ingredients Denatonium Benzoate Oral (Rat) LD50 = 584 mg/kg Brodifacoum Acute Oral ≤5mg/kg

Acute Dermal ≤50mg/kg Acute Inhalation ≤0.05mg/kg (Commission Regulation 2016/1179)

SECTION 12: Ecological Information

Ecotoxicity Not regarded as dangerous for the environment. However, large or frequent spills may have

hazardous effects on the environment.

12.1. Toxicity

Toxicity Based on available data the classification criteria are not met.

12.2. Persistence and degradability

Persistence and degradability The degradability of the product is not known.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not relevant.

12.4. Mobility in soil

Mobility No data available.

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

Other adverse effects Toxic to mammals, including domesticated animals and birds if ingested. Exposure of non-

target animals should be prevented.

Toxicity of ingredients Brodifacoum Daphnia EC50/48Hr = 0.25 mg/l Rainbow trout LC50/96Hr = 0.042 mg/l

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information This material and its container must be disposed of in a safe way.

Disposal methodsDispose of in accordance with applicable regional, national, and local laws and regulations.

Dispose of Contaminated packaging as unused product unless fully cleaned.

RASCAL BRODIFACOUM PASTA BAIT

Waste class Waste disposal key number from EWC is 20 01 19 (Pesticides)

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Health and Safety at Work etc. Act 1974 (as amended).

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment

Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].

EH40/2005 Workplace exposure limits.

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

 $\label{eq:concerning} \mbox{ December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of } \\$

Chemicals (REACH) (as amended).

Commission Regulation (EU) No 2015/830 of 28 May 2015.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

Inventories

EU - EINECS/ELINCS

None of the ingredients are listed or exempt.

SECTION 16: Other information

RASCAL BRODIFACOUM PASTA BAIT

Abbreviations and acronyms used in the safety data sheet

ADR: European Agreement concerning the International Carriage of Dangerous Goods by

Road.

ADN: European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways.

RID: European Agreement concerning the International Carriage of Dangerous Goods by

Rail.

IATA: International Air Transport Association.

ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IMDG: International Maritime Dangerous Goods.

CAS: Chemical Abstracts Service. ATE: Acute Toxicity Estimate.

LC₅₀: Lethal Concentration to 50 % of a test population.

LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).

EC50: 50% of maximal Effective Concentration.

PBT: Persistent, Bioaccumulative and Toxic substance.

vPvB: Very Persistent and Very Bioaccumulative.

Classification abbreviations

and acronyms

Repr. = Reproductive toxicity

STOT RE = Specific target organ toxicity-repeated exposure

Classification procedures according to Regulation (EC)

1272/2008

STOT RE 2 - H373: Commission Regulation (EU) 2016/1179 Repr. 1A - H360D: Commission

Regulation (EU) 2016/1179

Revision date 06/12/2017

Revision 9

Supersedes date 22/06/2017

SDS number 21330

Hazard statements in full H300 Fatal if swallowed.

H302 Harmful if swallowed. H310 Fatal in contact with skin. H315 Causes skin irritation.

H318 Causes serious eye damage.

H330 Fatal if inhaled. H332 Harmful if inhaled.

H360D May damage the unborn child.

H372 Causes damage to organs (Blood) through prolonged or repeated exposure.

H373 May cause damage to organs through prolonged or repeated exposure.

H373 May cause damage to organs (Blood) through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.