DIRECTIONS FOR USE

Add one litre of water to the spray tank then dispense the correct amount of Stingray. Add the remaining quantity of water, close the sprayer and shake and pressurise the sprayer. Apply as a coarse low pressure spray at a rate of one litre of product for each 20 sq.metres of surface. Repeat application as necessary. Wear face protection and half-mask respirator if spraying in confined places

Crawling insects, heavy Infestation Crawling insects, light Infestation Flying insects, ('resting') - 20 ml for 2 litres water

- 10 ml for 2 litres water - 20 ml for 2 litres water

This product must not be used against houseflies in intensive or controlled environment animal houses because it is likely to cause control failure due to insecticide resistance.





Harmful if swallowed. Risk of serious damage to eyes. Toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment. Keep out of reach of children. When using do not eat or drink. Avoid contact with eyes or skin. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of soap and water. Wear suitable protective clothing, gloves and eye/face protection. Use appropriate container to avoid environmental contamination. Avoid release to the environment Refer to special instructions/safety data sheets. If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label. To avoid risks to man and the environment, comply with the instructions for use.

This product is approved under The Control of Pesticides Regulations 1986 (as amended) for use as directed. Use only in accordance with the directions on the label.

WASH SPLASHES from skin or eyes immediately. WASH HANDS AND EXPOSED SKIN before meals and after use. KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place. KEEP OUT OF REACH OF CHILDREN. COLLECT EGGS AND REMOVE FEED, EXPOSED WATER AND MILK BEFORE APPLICATION.

PelGar International Ltd.

Unit 13, Newman Lane, Alton. Hants. GU34 2QR UK
Tel.: ++44 (0) 1420 80744 Web: www.pelgar.co.uk

STATUTORY CONDITIONS RELATING TO USE

FOR PROFESSIONAL USE

The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work. Maximum Dose, 20 ml per 5 litres water per 100 square metres sprayable surface. Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment. WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SYNTHETIC RUBBER/PVC GLOVES when using plus EYE PROTECTION when diluting. AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY. DO NOT BREATHE THE SPRAY MIST. Otherwise wear respiratory protective equipment and eye protection (see HSE Guidance Booklet HS (G) 53: "Respiratory Protective Equipment - a practical guide for users"). However, engineering controls may replace personal protective equipment if a COSHH assessment shows that they provide an equal or higher standard of protection. DO NOT CONTAMINATE FOODSTUFFS. EATING UTENSILS OR FOOD CONTACT SURFACES. COVER WATER STORAGE TANKS before THIS MATERIAL AND ITS CONTAINER must be disposed of in a safe way. WHEN USING, DO NOT EAT, DRINK OR SMOKE. EXCLUDE ALL PERSONS AND ANIMALS DURING TREATMENT. DO NOT APPLY DIECTLY TO ANIMALS. EXTREMELY DANGEROUS TO FISH AND OTHER AQUATIC LIFE. REMOVE OR COVER FISH TANKS AND BOWLS before DO NOT CONTAMINATE application. watercourses. HAZARDOUS TO BEES. DO NOT APPLY DIRECTLY TO LIVESTOCK AND

READ ALL PRECAUTIONS BEFORE USE HSE No. 7685



Formulated for Total Pest Control

An extremely potent broad spectrum micro-emulsion insecticide, containing 4.85 % w/w alphacypermethrin, 4.78 % w/w tetramethrin, 1.90 % w/w pyriproxyfen and 13.0 % w/w piperonyl butoxide.

For the control of cockroaches, crickets, litter beetles, mites, poultry red-mites, ticks, ants, flies, fleas, lice, fire-brats, silverfish, woodlice, centipedes and other crawling and (resting) flying insects. For use in domestic premises, animal rearing facilities, food stores, food processing areas, slaughter houses, waste storage bins, refuse tips, animal burial sites, manure heaps & middens.



Contents 500 ml