

SAFETY DATA SHEET

Page 1 of 4

Vulcan 5 SC (HSE No.: 6423)

Revision No. 2

Issue date: 01 September 2005

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product name Vulcan 5 SC

Company PelGar International Ltd

Unit 13, Newman Lane Industrial Estate, Newman Lane, Alton, Hampshire

GU34 2QR

Tel +44 (0) 1420 80744 Fax +44 (0) 1420 80733

Product code 408

2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components Alpha-cypermethrin 1-10%

CAS: 67375-30-8 EINECS: 257-842-9

T;R25 Xi;R37 Xn;R48/22 N;R50/53

Silicon dioxide 1-10%

3. HAZARDS IDENTIFICATION

Most important hazards Harmful if swallowed. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

4. FIRST AID MEASURES

Skin contact May cause skin irritation in susceptible persons. Remove contaminated clothing Wash off

immediately with soap and plenty of water. If irritation persists obtain medical attention

Contaminated clothing should be washed and dried before re-use

Eye contact May cause eye irritation of susceptible persons. Rinse immediately with plenty of water for at least

15 minutes. If irritation persists obtain medical attention

Inhalation Inhalation of mist or spray, may cause irritation of the respiratory system. Move to fresh air. Obtain

medical advice immediately.

Ingestion Harmful if swallowed. Do not induce vomiting. If conscious give a small amount of milk or water to

drink and obtain medical attention. Show the container label or this safety data sheet to the doctor

General advice In the case of accident or if you feel unwell, seek medical advice immediately (show the label where

possible).

5. FIRE-FIGHTING MEASURES

Suitable extinguishing

media

The product itself does not burn. Keep fire exposed containers cool by spraying with water if exposed to fire. Fight surrounding fire with dry chemical, foam or water spray.

Extinguishing media which must not be used for safety

reasons

Do not use water jets

Specific hazards This product is not flammable May decompose if involved in a fire, producing toxic and irritant

fumes.

Special protective

equipment for firefighters

In the event of fire, wear a self-contained breathing apparatus and a chemical protection suit, gloves and boots.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear suitable protective clothing, gloves and eye/face protection. See section 8.

Vulcan 5 SC

Revision No. 2

Issue date: 01 September 2005

Environmental precautions Prevent further leakage or spillage if safe to do so. Contain or absorb leaking liquid with earth or

sand. Do not let product enter drains. If substance has entered a watercourse or sewer or

contaminated soil or vegetation, inform the appropriate authority.

Methods for cleaning up Soak up with inert absorbent material. Transfer to a suitably labelled container. Subsequently, wash

the contaminated area with water, or detergent and water, taking care to prevent the washings from

entering surface water drains.

7. HANDLING AND STORAGE

Handling If splashing is likely to occur wear approved eye protection. If spray mists are likely, wear a suitable

approved respirator. If skin contact is likely to occur wear rubber gloves and suitable impervious protective clothing. Use in a well ventilated area where possible. Always use good personal hygiene procedures when handling chemicals. Do not smoke eat or drink while handling this product. Wash hands, face and exposed skin after using, and before eating, drinking or smoking. Read the label

before use.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of

children. Keep away from food and animal feedstuffs

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limit(s) Silicon dioxide

TWA(mg/m3):6 (Total Dust) 2.4 (Respirable dust).

Respiratory protection Suitable approved respirator if exposed to spray mists

Hand protection Rubber or plastic gloves

Eye protection If splashes are likely to occur, wear goggles

Skin and body protection Impervious clothing boots

9. PHYSICAL AND CHEMICAL PROPERTIES

Description Liquid

Colour White

Odour Characteristic

pH 6 - 7

Boiling point/range No Data

Flash point Not applicable

Flammability Not applicable

Vapour pressure Not available

Relative density 1.1 - 1.5

Water solubility Completely miscible

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions.

Conditions to avoid Heat, flames and sparks.

Hazardous decomposition Combustion or thermal decomposition will produce toxic and irritant fumes

products

11. TOXICOLOGICAL INFORMATION

Acute toxicity ORL RAT LD50 > 4000mg/Kg (calculated) DERMAL RAT LD50 > 5000mg/Kg (calculated).

Vulcan 5 SC

Revision No. 2

Issue date: 01 September 2005

Repeated and / or prolonged exposure may cause irritation and may cause skin sensitisation in

sensitive individuals.

Sensitisation May cause sensitisation of susceptible persons by skin contact or by inhalation of aerosol.

Repeated or prolonged

exposure

Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation of

susceptible persons.

mutagenic effects Not available

carcinogenic effects Not available

12. ECOLOGICAL INFORMATION

Ecotoxicity effectsToxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Further Information This product must not enter water discharge system. Inform appropriate authority if large spillage

enters drains.

13. DISPOSAL CONSIDERATIONS

General Information Dispose of as hazardous waste in compliance with local and national regulations.

Contaminated packaging Dispose of as unused product.

14. TRANSPORT INFORMATION

ADR/RID

UN-No 3082 Packing group III
Class 9 Hazard ID 90

Proper shipping name ENVIRONMENTALLY

HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains alpha-

cypermethrin)

IMO

UN-No 3082 Packing group III
Class 9 Marine pollutant YES

EmS F-A S-F

IATA-DGR

UN-No 3082 Packing group III packaging 914

15. REGULATORY INFORMATION

Symbol(s): Xn - Harmful; N - Dangerous for the environment

X_n ¥

R-phrase(s) R22 - Harmful if swallowed..

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrase(s)

To avoid risks to man and the environment, comply with the instructions for use.

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S29 - Do not empty into drains.

S37/39 - Wear suitable gloves and eye/face protection.

S60 - This material and its container must be disposed of as hazardous waste.

S61 - Avoid release to the environment. Refer to special instructions/safety data sheets.

16. OTHER INFORMATION

Text of R phrases R25 - Toxic if swallowed.

mentioned in Section 2 R37 - Irritating to respiratory system.

R48/22 - Harmful: danger of serious damage to health by prolonged

exposure if swallowed.

Vulcan 5 SC

Revision No. 2

Issue date: 01 September 2005

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Recommended restrictions Insecticide for professional use only.

Sources of key data used to compile the datasheet

CHIP 2002 EH40

Raw material suppliers Safety Data Sheets.

Replaces Revision Number 1 Changes to Section 2, 3, 4, 13, 15, 16