

Hazard statements: H335 May cause respiratory irritation. H373 May cause damage to organs (or state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard). H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements: P102 Keep out of reach of children. P260 Do not breathe dust/fume/vapours/spray. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P314 Get medical advice/attention if you feel unwell. P391 Collect spillage. P403+P233 Store in a well ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/container in accordance with regulations on hazardous waste.

Recommendations for intoxication or accidents: Symptoms of intoxication: Dermatitis, eye, nose and throat irritation. Nausea, vomiting, vertigo, headaches and numbness around the mouth. Hypersensitive reactions with bronchospasm. First aid: Remove the person from the contaminated area. Take off contaminated clothing immediately. Rinse the eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present. Rinse the skin with plenty of water and soap, do not rub. If swallowed and the person is conscious, induce vomiting. Keep the patient at rest. Conserve body temperature. Check breathing. If necessary, give artificial respiration. If the person is unconscious, lie him/her down on one side with the head lower than the rest of the body and the knees partially bent. Take the patient to a hospital, and take the label or container whenever possible. UNDER NO CIRCUMSTANCES LEAVE THE PATIENT ALONE.

Therapeutic guidance: If swallowed, provide digestive tract decontamination, depending on the state of consciousness. Administer an aqueous solution of active carbon and a saline sodium sulphate cathartic. Treatment of symptoms. IN CASE OF ACCIDENT, CONSULT THE National Poisons Information Service (NPIS) - UK: 111

Risk mitigation measures: The coshh (control of substances hazardous to health) regulations 2002 (as amended) apply to the use of this product at work. - Avoid excessive contamination of coveralls. - DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES. - This material and its container must be disposed of in a safe way. - WASH HANDS AND EXPOSED SKIN before meals and after use. - KEEP IN A SAFE PLACE. - DO NOT TOUCH TREATED SURFACES UNTIL DRY. - UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS UNTIL SURFACES ARE DRY. - DO NOT APPLY DIRECTLY TO ANIMALS. - DO NOT APPLY TO CLOTHING AND BEDDING. - HAZARDOUS TO BEES. - COVER ALL WATER STORAGE TANKS before application. - ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES. - NOT TO BE USED ON PET BEDDING, PET SLEEPING QUARTERS OR WHERE PETS FREQUENTLY/NORMALLY LIE.



WARNING



Marketed & Supplied by 1env Solutions Ltd

Unit 4, Airborne Industrial Estate, Arterial Road, Leigh-on-Sea, Essex, SS9 4EX
01702 525 202 | sales@1env.co.uk | www.1env.co.uk

Quimunsá, Derio Bidea 51 - 48100 Munguía, Spain - Tel: 946 741 085



DIPTRON CYPERMETHRIN INSECT KILLER

Emulsifiable Concentrate
flying and crawling insect killer

- Rapid knock-down effect
- Long-lasting residual control
- Can be applied by sprayer or fogger

Highly effective insecticide for the control of a wide variety of flying and crawling insects.

Contains: Cypermethrin 15%,
Piperonyl Butoxide 15%



1 Ltr

Effective insecticide for crawling and flying insects. The formula combines a pyrethroid with a synergist, with a rapid knock-down, good flushing properties and long-lasting residual control.

Recommendations for use: Read all precautions before use. Follow the instructions for use in order to prevent danger to people and the environment. Do not use when people and/or animals are present. Ventilate the premises well before entering. Do not mix with any other chemical product. Avoid contact with treated surfaces. Do not use in areas where children play, nurseries and primary schools. Do not use on food or cooking utensils. It must not be used on surfaces where food is handled, prepared or to be consumed. After dilution with water, fog (except in the food industry), brush or spray the product on skirting boards and floors. In the food industry, spray or brush the product diluted with water on skirting boards and floors, do not apply to the air or to surfaces where food is handled, prepared, served or consumed. If used for food hygiene, ensure that not food is present. Take all necessary measures to ensure that no residue remains of the product's active ingredients on food, machinery and/or utensils handled on the premises or installations previously treated with the product.

Preparation: Add the dose of DIPTRON CYPERMETHRIN to the sprayer tank and fill with water. Shake well to homogenise the emulsion before use.

Application: Use against flying and crawling insects such as flies, mosquitos, cockroaches and fleas. Brush or spray the suspected zone of passage or nesting area of the insects: behind and under domestic appliances, boilers, skirting boards. Round the edges of doors and windows, cabins, etc.

Fogging: 10 ml per 1500 m³.

Surface spraying & brushing: Dilute 32.5 ml of the product in 5 L of water to treat 100 m² (50 ml/m²).

**FOR USE ONLY BY PROFESSIONAL OPERATORS.
SHAKE WELL BEFORE USE.**

Composition:

Cypermethrin 40/60	15% w/w
Piperonyl butoxide	15% w/w
Excipients and solvents c.s.p.	100%

Register No: HSE No 10702

UFI: G600-W0NR-C00S-4PWF

Storage: Do not expose to sunlight or frost. Keep away from sources of ignition. Keep in the original container. Empty containers must be disposed of according to their hazard characteristics and through authorised waste disposal managers, in accordance with the regulations in force.

Batch No.:

Expiry date:

1 Ltr

7001621