

PROPICONAZOLE 93.75G/L + IPBC 31.25G/L + PERMETHRIN 31.25G/L

Page: 1

Compilation date: 25/08/2015

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: PROPICONAZOLE 93.75G/L + IPBC 31.25G/L + PERMETHRIN 31.25G/L

Synonyms: LIGNUM PRO D156

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC8: Biocidal products (e.g. Disinfectants, pest control).

1.3. Details of the supplier of the safety data sheet

Company name: ENVIROQUEST GPT LTD

UNIT E8/9

- ASHLYN ROAD
- WEST MEADOWS INDUSTRIAL ESTATE
 - DERBYSHIRE
- DE21 6XE
- UNITED KINGDOM
- **Tel:** +44 (0)1332 362492
- Fax: +44 (0)1332 345477

Email: info@enviroquestgpt.co.uk

1.4. Emergency telephone number

Emergency tel: +44 (0)1332 362492

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP:	Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318;
	Skin Sens. 1: H317; STOT RE 2: H373; -: EUH210
Most important adverse effects:	Harmful if swallowed. May cause an allergic skin reaction. Causes serious eye damage.
	May cause damage to organs (Larynx) through prolonged or repeated exposure. Very
	toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Safety data sheet
	available on request.

2.2. Label elements

Label elements:

Hazard statements: H302: Harmful if swallowed. H317: May cause an allergic skin reaction. H318: Causes serious eye damage.

PROPICONAZOLE 93.75G/L + IPBC 31.25G/L + PERMETHRIN 31.25G/L

Page: 2

H373: May cause damage to organs (Larynx) through prolonged or repeated exposure.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

EUH210: Safety data sheet available on request.

Hazard pictograms: GHS05: Corrosion

GHS07: Exclamation mark

GHS08: Health hazard

GHS09: Environmental



Signal words: Danger

Precautionary statements: P260: Do not breathe dust/fumes/gas/mist/vapours/spray. P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P302+352: IF ON SKIN: Wash with plenty of water/soap. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER/doctor. P391: Collect spillage. P501: Dispose of contents/container to hazardous or special waste collection point.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ALCOHOLS, C9-11, ETHOXYLATED

EINECS	CAS	PBT / WEL	CLP Classification	Percent
-	68439-45-2	-	Acute Tox. 4: H302; Eye Dam. 1: H318	10-30%

PROPICONAZOLE

262-104-4	60207-90-1	-	Acute Tox. 4: H302; Skin Sens. 1:	1-10%
			H317; Aquatic Chronic 1: H410;	
			Aquatic Acute 1: H400	

PROPICONAZOLE 93.75G/L + IPBC 31.25G/L + PERMETHRIN 31.25G/L

Page: 3

3-IODO-2-PROPYNYL BUTYLCARBAMATE

259-627-5	55406-53-6	-	Acute Tox. 3: H331; Acute Tox. 4: H302;	1-10%
			STOT RE 1: H372; Eye Dam. 1: H318;	
			Skin Sens. 1: H317; Aquatic Chronic 1:	
			H410; Aquatic Acute 1: H400	

M-PHENOXYBENZYL 3-(2,2-DICHLOROVINYL)-2,2-DIMETHYLCYCLOPROPANECARBOXYLATE

258-067-9	52645-53-1	-	Acute Tox. 4: H332; Acute Tox. 4: H302;	-
			Skin Sens. 1: H317; Aquatic Chronic 1:	
			H410; Aquatic Acute 1: H400	

Non-classified ingredients:

*2-METHYL-2H-ISOTHIAZOLIN-3-ONE (MIT)

EINECS	CAS	CHIP Classification	CLP Classification	Percent
220-239-6	2682-20-4	-	Acute Tox. 3: H301; Acute Tox. 2: H330; Skin Corr. 1B: H314; Skin Sens. 1A: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Acute Tox. 3: H311	<1%

1,2-BENZISOTHIAZOLIN-3-ONE

220-120-9	2634-33-5	-	Acute Tox. 4: H302; Skin Irrit. 2: H315;	<1%
			Eye Dam. 1: H318; Skin Sens. 1:	
			H317; Aquatic Acute 1: H400	

Section 4: First aid measures

Г

4.1. Description of first aid measures			
Skin contact:	Wash immediately with plenty of soap and water.		
Eye contact:	Bathe the eye with running water for 15 minutes.		
Ingestion:	Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water		
	to drink immediately. Transfer to hospital as soon as possible.		
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a		
	doctor.		
4.2. Most important symptoms and effects, both acute and delayed			
Skin contact:	There may be mild irritation at the site of contact.		
Eye contact:	There may be irritation and redness.		
Ingestion:	There may be soreness and redness of the mouth and throat. There may be difficulty		
	swallowing. Nausea and stomach pain may occur. There may be vomiting.		
Inhalation:	Absorption through the lungs can occur causing symptoms similar to those of ingestion.		
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.		
4.3. Indication of any immediat	te medical attention and special treatment needed		

Immediate / special treatment: Not applicable.

PROPICONAZOLE 93.75G/L + IPBC 31.25G/L + PERMETHRIN 31.25G/L

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid the formation or spread of mists in the air. Avoid direct contact with the substance.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

PROPICONAZOLE 93.75G/L + IPBC 31.25G/L + PERMETHRIN 31.25G/L

Page: 5

DNEL/PNEC Values				
DNEL / PNEC	No data available.			
8.2. Exposure controls				
	Ensure there is sufficient ventilation of	f the area.		
	Respiratory protection not required.			
Hand protection:	Protective gloves.			
Eye protection:	Safety glasses. Ensure eye bath is to	hand.		
Skin protection:	Protective clothing.			
Environmental:	Prevent from entering in public sewers	s or the immediate environment.		
Section 9: Physical and chem	ical properties			
9.1. Information on basic phys	ical and chemical properties			
	Liquid			
	Yellow-brown			
Odour:	Characteristic odour			
Evaporation rate:	No data available.			
Oxidising:	No data available.			
Solubility in water:	Miscible			
Viscosity:	Viscous			
Boiling point/range°C:	No data available.	Melting point/range°C:	No data available.	
Flammability limits %: lower:	No data available.	upper:	No data available.	
Flash point°C:	No data available.	Part.coeff. n-octanol/water:	No data available.	
Autoflammability°C:	No data available.	Vapour pressure:	No data available.	
Relative density:	1.065g/L	pH:	Approx. 7	
VOC g/l:	No data available.			

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

PROPICONAZOLE 93.75G/L + IPBC 31.25G/L + PERMETHRIN 31.25G/L

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

ALCOHOLS, C9-11, ETHOXYLATED

DERMAL	-	LD50	>2000	mg/kg
ORAL	-	LD50	>300<=2000	mg/kg

M-PHENOXYBENZYL 3-(2,2-DICHLOROVINYL)-2,2-DIMETHYLCYCLOPROPANECARBOXYLATE

ORL	MUS	LD50	424	mg/kg
ORL	RAT	LD50	383	mg/kg
SKN	RAT	LD50	1750	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	ING	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
Respiratory/skin sensitisation	DRM	Hazardous: calculated
STOT-repeated exposure	-	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat. There may be difficulty

swallowing. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: Absorption through the lungs can occur causing symptoms similar to those of ingestion.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

PROPICONAZOLE 93.75G/L + IPBC 31.25G/L + PERMETHRIN 31.25G/L

Page: 7

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

 Disposal operations:
 Transfer to a suitable container and arrange for collection by specialised disposal company.

 Disposal of packaging:
 Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.

 NB:
 The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN3082

14.2. UN proper shipping name

Shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Propiconazole, IPBC, Permethrin)

14.3. Transport hazard class(es)

Transport class: 9

14.4. Packing group

Packing group: |||

14.5. Environmental hazards

Environmentally hazardous: Yes

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 3

PROPICONAZOLE 93.75G/L + IPBC 31.25G/L + PERMETHRIN 31.25G/L

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Section 16: Other information

Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	2015/830.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	EUH210: Safety data sheet available on request.
	H301: Toxic if swallowed.
	H302: Harmful if swallowed.
	H311: Toxic in contact with skin.
	H314: Causes severe skin burns and eye damage.
	H315: Causes skin irritation.
	H317: May cause an allergic skin reaction.
	H318: Causes serious eye damage.
	H330: Fatal if inhaled.
	H331: Toxic if inhaled.
	H332: Harmful if inhaled.
	H372: Causes damage to organs <or affected,="" all="" if="" known="" organs="" state=""> through</or>
	prolonged or repeated exposure <state conclusively="" exposure="" if="" is="" it="" of="" proven="" route="" th="" that<=""></state>
	no other routes of exposure cause the hazard>.
	H373: May cause damage to organs <or affected,="" all="" if="" known="" organs="" state=""> through</or>
	prolonged or repeated exposure <state conclusively="" exposure="" if="" is="" it="" of="" proven="" route="" th="" that<=""></state>
	no other routes of exposure cause the hazard>.
	H400: Very toxic to aquatic life.
	H410: Very toxic to aquatic life with long lasting effects.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.