According to the Regulation (EC) No. 1907/2006 (REACH)

Trade Name:	WASP GUARD		( DE / D )	
Revision Date:	13.06.2019	Version:	1.0.0	
Print Date:	04.07.2019			
Page: 1/10				

#### Section 1: Identification of the substance or mixture and the company

1.1 Product

Product name: WASP GUARD

#### 1.2 Relevant identified use of the substance or mixture

Perfume and Aroma

#### 1.3 Details of the supplier providing the safety data sheet

Company name:	PAKS Vertriebs GmbH
Road:	Karl-Schiller-Str. 14
Place:	D-76684 Östringen
Phone:	+49 7253 9887800
E-Mail:	info@waspguard.de
Internet:	
Information Department:	

#### 1.4 Emergency Number +49 7253 9887800

This number is only occupied during office hours. (Mo. - Fr. 08:00 – 18:00 Uhr CET)

#### Section 2: Possible Hazards

#### 2.1 Classification of the substance or mixture Classification according to Cirective 67/548/EEC or 1999/45/EC

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Sensitization trough skin contact possible. Irritates the skin. N; R 50/53, R 43 Xi; R 38

2.2 Label Elements Labeling (67/548/EEC or 1999/45/EC)

Hazard symbols and danger symbols for dangerous substances and preparations



Exclamation mark (GHS07)

#### Signal word

Warning

#### Hazard-determining components for labeling

(R)-P-MENTHA-1,8-DIEN; CAS-Nr.: 5989-27-5 (R)-P-MENTHA-1,8-DIEN; CAS-Nr.: 5989-27-5 B-PINENE; CAS-Nr.: 127-91-3 CITRAL; CAS-Nr.: 5392-40-5 A-PINENE; CAS-Nr.: 80-56-8

Trade Name:		WASP GUARD		(DE/D)
Revision Date:		13.06.2019	Version:	1.0.0
Print Date:		04.07.2019		
		04.07.2013		
Page: 2/10				
	R-Sätze			
	50/53	Very toxic to aquatic organisms, may cause	se long-term advers	se effects in the aquatic
		environment.		
	43	Sensitization trough skin contact possible		
	38	Irritates the skin.		
	50			
	0.054-0			
	S-Sätze			
	29/35	Do not empty in drains; Waste and contain	ners must be dispo	sed of in a secure manner.
	61	Avoid release to the environment. Refer to	o special instruction	s / safety data sheet for
		advice.	•	2
	36/37	Wear suitable protective gloves and prote	ctive clothing	
	00/07	wear suitable protective gloves and prote	cuve cloumly.	
• •	<b>0</b> (1)			
2.3	Other H	azaros		

No informations available.

### Section 3: Composition / Information on ingredients

### 3.1 Chemical Characterization

Description: Mixture of substances listed below.

# 3.2 Mixtures Hazardous ingredients

<ul> <li>(R)-P-MENTHA-1,8-DIEN; EC-N Weight content: Classification 67/548/EEC: Classification 1272/2008 [CLP]</li> </ul>	o.: 227-813-5; CAS-Nr.: 5989-27-5 ≥ 45 - < 50% R10 N; R50/53 R43 Xn; R65 Xi; R38 Flam. Liq. 3; H226 Skin Irrt. 2; H315 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410
• (R)-P-MENTHA-1,8-DIEN; EC-N Weight content: Classification 67/548/EEC: Classification 1272/2008 [CLP]	o.: 227-813-5; CAS-Nr.: 5989-27-5 ≥ 25 - < 30% R10 N; R50/53 R43 Xi; R38 Flam. Liq. 3; H226 Skin Irrt. 2; H315 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410
· B-PINENE; CAS-Nr.: 127-91-3	≥ 5 - < 10%
Weight content:	R43 Xn; R65 Xi; R38
Classification 67/548/EEC:	Flam. Liq. 3; H226 Asp. Tox. 1; H304 Skin Irrit. 2; H315 Skin.
Classification 1272/2008 [CLP]	Sens. 1; H317
MENTHOL; CAS-Nr.: 2216-51-5 Weight content: Classification 67/548/EEC: Classification 1272/2008 [CLP]	≥ 1 - < 5% Xi; R38 Skin Irrit. 2; H315 EYE Irrit. 2; H319
· G-TERPENE; CAS-Nr.: 99-85-4	≥ 1 - < 5%
Weight content:	R10 Xi; R33/37/38
Classification 67/548/EEC:	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3;
Classification 1272/2008 [CLP]	H335
<ul> <li>CITRAL; EG-Nr.: 226-394-6; CA</li></ul>	S-Nr.: 5392-40-5
Weight content:	≥ 1 - < 5%
Classification 67/548/EEC:	R43 Xi; R38
Classification 1272/2008 [CLP]	Skin Irrit. 2; H315 Skin. Sens. 1; H317
<ul> <li>B-MYCRENE; CAS-Nr.: 123-35-</li></ul>	3
Weight content:	≥ 1 - < 5%
Classification 67/548/EEC:	R10 Xn; R65 Xi; R38

Trade Name: Revision Date: Print Date: <b>Page:</b> 3/10	WASP GUARD 13.06.2019 04.07.2019	( DE / D ) Version: 1.0.0
	Classification 1272/2008 [CLP]	Flam. Liq. 3; H226 Asp. Tox. 1; H304 Skin Irrit. 2; H315 Eye Irrit. 2; H319
	• A-PINENE; CAS-Nr.: 80-56-8 Weight content: Classification 67/548/EEC: Classification 1272/2008 [CLP]	≥ 1 - < 5% R43 Xn; R65 Xi; R38 Flam. Liq. 3; H226 Asp. Tox. 1; H304 Skin Irrit. 2; H315 Skin. Sens. 1; H317
	· LINALOOL; CAS-Nr.: 78-70-6 Weight content: Classification 67/548/EEC: Classification 1272/2008 [CLP]	≥ 1 - < 5% Xi; R38 Skin Irrit. 2; H315 Eye Irrit. 2; H319
GERANIOL; CAS-Nr.: 106-24-1 Weight content: $\geq 0,1 - < 0,5\%$ Classification 67/548/EEC: R43 Xi; R41 Xi; R38		≥ 0,5 - < 1%
		_ , ,
	A-TERPINOLENE; CAS-Nr.: 586 Weight content: Classification 67/548/EEC: Classification 1272/2008 [CLP]	-62-9 ≥ 0,25 - < 0,5% N; R50/53 R43 Xn; R65 Asp. Tox. 1; H304 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410
	CITRONELLOL; CAS-Nr.: 106-2: Weight content: Classification 67/548/EEC: Classification 1272/2008 [CLP]	2-9 ≥ 0,1 - < 0,5% N; R51/53 R43 Xi; R38 Skin Irrit. 2; H315 Skin. Sens. 1; H317 Eye Irrit. 2; H319
	· 1,8-CINEOL; CAS-Nr.: 470-82-6 Weight content: Classification 67/548/EEC: Classification 1272/2008 [CLP]	≥ 0,1 - < 0,5% R10 R43 Flam. Liq. 3; H226 Skin Sens. 1; H317
	· A-TERPENE; CAS-Nr.: 99-86-5 Weight content: Classification 67/548/EEC: Classification 1272/2008 [CLP]	< 0,5% N; R51/53 Xn; R22 Xn; R65 Flam. Liq. 3; H226 Asp. Tox. 1; H304 Acute Tox. 4; H302 Aquatic Chronic 2; H411
	• N-DECANAL; CAS-Nr.: 112-31-2 Weight content: Classification 67/548/EEC: Classification 1272/2008 [CLP]	2 < 0,5% N; R51/53 Eye Irrit. 2; H319 Aquatic Chronic 3; H412
	Additional information Full text of R-, H- and EUH-phrase	es: see section 16.

Full text of R-, H- and EUH-phrases: see section 16.

### Section 4: First aid measures

### 4.1 Description of first aid measures

Take of dirty, soaked clothes immediately. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible)

	According to the Regi		907/2006 (REA	(CH)
Trade Name: Revision Date: Print Date: <b>Page:</b> 4/10	WASP GUARD 13.06.2019 04.07.2019		Version:	( DE / D ) 1.0.0
	After inhalation:	Provide fresh air. attention	If irritation of the	respiratory tract, seek medical
	In case of skin contact:	In case of contact and soap.	with skin, wash i	mmediately with plenty of water
	After eye contact:		10 to 15 minutes	immediately with plentyof with open eyelid and consult an
	After swallowing:	Rinse mouth imme vomiting.	ediately and drinl	k plenty of water. Do not induce
<u>4.2</u>	Most important symptoms and e	effects, both acute	and delayed	
		There is no inform	ation.	
<u>4.3</u>	Indication of any immediate med	dical attention and	special treatme	ent needed
		None		
Section 5: F	ire fighting measures			
5.1	Extinguishing Media			
<u>0.1</u>	Suitable extinguishing Media: sand	d foam carbone di	vide (CO2) and	dry chemical. For safety reasons
	unsuitable extinguishing agents: w			ary chemical. For safety reasons
<u>5.2</u>	Special hazards arising from the	e substance or mix	<u>xture</u>	
	None			
<u>5.3</u>	Advice for firefighters			
	Wear self-contained breathing app	paratus and chemica	al protective suit.	
<u>5.4</u>	Additional information			
	Take care when using carbon dioxide in enclosed areas. Carbon dioxide can displace oxygan.			
Section 6: A	ccidental release measures	;		
<u>6.1</u>	Personal precautions, protective	<u>e equipment and e</u>	mergency proc	edures
	Remove all sources of ignition. En	isure adequate vent	ilation.	
<u>6.2</u>	Environmental precautions			
	Do not discharge into drains or rive systems, inform the competent aut		eaks or intrusion	into waters, ground or sewage
<u>6.3</u>	Methods and material for contai	inment and cleanir	ıg	
	Elliminate spills immediately. Absc universal binder). Collect in suitabl			
<u>6.4</u>	Reference to other sections			

None

According to the Regulation (EC) No. 1907/2006 (REACH)

Trade Name: Revision Date:	WASP GUARD 13.06.2019	Version:	( DE / D ) 1.0.0	
Print Date:	04.07.2019			
Page: 5/10				

#### Section 7: Handling and storage

#### 7.1 Precautions for safe handling

Ensure sufficient storage space ventilation. Always close container tightly after removing product. All working procedures must always be designed so that the following is excluded: skin contact, eye contact

#### Precautions

#### Fire protection measures

Keep away from sources of ignition – No smoking. Take precautionary measures against electrostatic charging. Before opening the container, provide a fire extinguisher.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and containers

Keep container tightly closed and sote in a cool, well-ventilated place.

Together storage information	
Storage class:	10
Storage class (TRGS 510):	3

#### 7.3 Specific applications

None

### Section 8: Exposure controls / personal protection

#### 8.1 Parameters to be monitored

#### **Occupational Exposure Limits**

(R)-P-MENTHA-1,8-DIEN; CAS-Nr.: 5989-27-5		
Limit value typ (country of origin):	TRGS 900 (D)	
Limit value:	5 ppm / 28 mg/m³	
Peak limits:	4 (II)	
Comment:	H, Sh, Y	
Version:	02.04.2014	

 Information on occupational exposure limit according to RCP method according to TRGS 900 (D)

 Limit value typ (country of origin):
 Calculated RCP-workplace exposure limit (D) 600 mg/m³

 Limit value typ (country of origin):
 Content of hydrocarbons (aliphatic C5 – C15, aromatc C7 - C15)

 Limit value:
 > 96 - <= 97%</td>

#### 8.2 Limitation and monitoring of exposure

See section 7. There are no additional measures required.

#### Section 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

#### Security relevant basic data

Flash point:

< 60° C

#### 9.2 Other information

None

According to the Regulation (EC) No. 1907/2006 (REACH)

Trade Name:	WASP GUARD		( DE / D )
Revision Date:	13.06.2019	Version:	1.0.0
Print Date:	04.07.2019		
Page: 6/10			

### Section 10: Stability and Reactivity

#### 10.1 Reactivity

There are no known dangerous reactions.

#### 10.2 Chemical stability

The product is chemically stable under the recommended storage, use and temperature conditions.

#### 10.3 Possibility of dangerous reactions

If handled and stored is intended, no hazardous reactions will occur.

#### 10.4 Conditions to avoid

None under normal use.

#### 10.5 Incompatible materials

Acids and bases; strong oxidizing agents.

#### 10.6 Hazardous decomposition products

None under normal use.

#### Section 11: Toxicological information

#### 11.1 Information on toxicological effects

The product has not undergone toxicological testing. According to the data available for the ingredients, these meet the criteria for classification of health hazards.

### Section 12: Environmental information

12.1 Toxicity

There is no information.

#### 12.2 Persistence and degradability

There is no information.

#### 12.3 Bioaccumulative potential

There is no information.

#### 12.4 Mobility in the ground

There is no information.

#### 12.5 Result of PBT- and vPvB-Assessment

There is no information.

#### 12.6 Other adverse effects

There is no information.

According to the Regulation (EC) No. 1907/2006 (REACH)

Trade Name: Revision Date: Print Date: <b>Page:</b> 7/10	WASP GUARD 13.06.2019 04.07.2019	Version:	( DE / D ) 1.0.0	
12.7	Additional ecotoxicological information			

None

### Section 13: Disposal considerations

#### 13.1 Waste treatment methods

Dispose according to official regulations

### Section 14. Transport information

#### 14.1 UN-Number

UN 1266

#### 14.2 UN proper shipping name

#### Land transport (ADR/RID)

PERFUMERY PRODUCTS

#### Lake ship transport (IMDG)

PARFUMERY PRODUCTS (DIPENTENE · A-TERPINOLENE)

#### Air transport (ICAO-TI / IATA-DGR)

PARFUMERY PRODUCTS

#### Transport hazard class 14.3

#### Land transport (ADR/RID)

Class(es):	3
Classidication code:	F1
Hazard-No. (Kemler number):	30
Tunnel restiction code:	D/E
Special provisions:	640E · LQ 7 · LQ 51 · E 1
Hazard label:	3 / N

#### Lake ship transport (IMDG)

Class(es):	3
EmS-No.:	F-E / <u>S-D</u>
Hazard-No. (Kemler number):	30
Special provisions:	LQ 51 · E
Hazard label:	3 / N

#### Air transport (ICAO-TI / IATA-DGR)

Class(es):	
Special provisions:	
Hazard label:	

#### 14.4 Packaging group

Ш

E 1

#### 14.5 Environmental hazards

Land transport (ADR/RID):

According to the Regulation (EC) No. 1907/2006 (REACH)

Trade Name: Revision Date: Print Date: <b>Page:</b> 8/10	WASP GUARD 13.06.2019 04.07.2019	Version:	( DE / D ) 1.0.0
	Lake ship transport (IMDG):	Yes (P)	
	Air transport (ICAO-TI / IATA-DGR):	Yes	
14.6	Special precautions for the user		
11.0	None		
Section 15. I	nformation on legislation		
<u>15.1</u>	Safety, health and environmental regula	ations / legislation speci	fic for the substance or mixture
	National regulations: Technical instructions air (TI-Air)		
	Class (Digit 5.2.5.): Weight proportion (Digit 5.2.5. I): < 5%		
	Water hazard class (WHC)		
	Class: 3 (strongly water polluting) classification according to VwVwS		
	Other regulations, restictions and prohibition regulstions, Operating safety ordinance		
	No flammable liquid acco	ording to BetrSichV.	
<u>15.2</u>	Chemical Safety Assessment		
	There is no information.		
Section 16.	Other information		
<u>16.1</u>	Update notes		
	None		
<u>16.2</u>	Abbreviations and acronyms		
	ADR: Accord européen relatif au transport CAS: Chemical Abstracts Service, CLP: Cl Mixtures, DGR: Dangerous Goods Regula	lassification, Labelling and tions, ECHA: European C	d Packaging of Substances and hemicals Agency, IATA:

Mixtures, DGR: Dangerous Goods Regulations, ECHA: European Chemicals Agency, IATA: International Air Transport Association, ICAO-TI: International Civil Aviation Organization – Technical Instuctions, IFRA: International Fragrance Association, IMDG: International Maritime Code for Dangerous Goods, RCP: reciprocal calculation procedure, REACH: Registration, Evalution, Authorisation and Restriction of Chemicals, RID: Réglement concernant le transport international ferroviare de marchandises Dangereuses, TRGS: Technische Regeln für Gefahrstoffe, VwVwS: Verwaltungsvorschrift wassergefährdende Stoffe, WGK: Wassergefährdungsklasse

#### 16.3 Important references and data sources

ECHA, IFRA and producer informations

#### <u>16.4</u> Classification of mixtures and evaluation method used in accordance with Regulation (EC) No <u>1272/2008 [CLP]</u>

#### Classification according to regulation (EC) No. 1272/2008 [CLP]

Aquatic Acute 1; H400 – water pollutant: Category 1; Very toxic for aquatic organisms.

Aquatic Chronic 1; H410 – water pollutant: Category 1: Very toxic for aquatic life with long lasting effects.

According to the Regulation (EC) No. 1907/2006 (REACH)

Trade Name: Revision Date:	WASP GUARD 13.06.2019	Version:	( DE / D ) 1.0.0
Print Date:	04.07.2019		
Page: 9/10			

Eye Irrit. 2; H319 – Serius eye damage / irritation: Category 2A; Causes serious eye irritation.

Skin Irrit. 2; H315 – Skin corrosion/ irritation: Category 2; Causes skin irritation. Flam. Liq. 3; H226 – Flammable liquids: Kategorie 3; Flammable liquid and vapor. Skin Sens. 1; H317 – Sensitzitation of the skin: Category 1; May cause allergic skin reactions.

#### Labeling according to regulation (EC) No. 1272/2008 [CLP]

#### Hazard pictograms



Exclamation mark (GHS07)

#### Signal word

Warning

#### Hazard determining components for labeling

(R)-P-MENTHA-1,8-DIEN; CAS-Nr.: 5989-27-5 (R)-P-MENTHA-1,8-DIEN; CAS-Nr.: 5989-27-5 B-PINENE; CAS-Nr.: 127-91-3 CITRAL; CAS-Nr.: 5392-40-5 A-PINENE; CAS-Nr.: 80-56-8 CITRONELLAL; CAS-Nr.: 106-23-0 GERANIOL; CAS-Nr.: 106-24-1 A-TERPINOLENE; CAS-Nr.: 586-62-9 CITRONELLOL; CAS-Nr.: 106-22-9 1,8-CINEOL; CAS-Nr.: 470-82-6

#### **Hazard statements**

H226	Flammable liquid and vapor.
H315	Causes skin irritation.
H317	May cause allergic skin reactions.
H319	Causes serious eye iritation.
H410	Very toxic to aquatic life with long lasting effects.

#### Safety instructions

P210	Keep away from heat, hot surfaces, open flames and other ignition sources.
	Do not smoke.
P233	Keep container tightly closed.
P240	Ground tank and equipment to be filled.
P333+P313	If skin irritation or rush occurs: Get medical advice / attention.
P337+P313	If eye irritation persists: Get medical advice / attention.
P403+P235	Keep cool in a well-ventilated place.

#### 16.5 Wording of R-, H- and EUH-Phrases (Number and full text)

H226	Flammable liquid and vapor.
H302	Harmful of swallowed.
H304	May be fatal if swallowed and enters airways.
H313	May be harmfull if skin contact occurs
H315	Causes skin irritation

Trade Name: Revision Date: Print Date: <b>Page:</b> 10/10	WASP GUARD 13.06.2019 04.07.2019	( DE / D ) Version: 1.0.0
	H317 H318 H319 H 335 H410 H411 H412 R10 R22 R36/37/38 R38 R41 R43 R50/53 R51/53 R65	May cause allergic skin reactions. Causes serious eye damage. Causes serious eye irritation. May irritatethe respiratory system. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic organisms wit long lasting effects. Flammable. Harmful if swallowed. Irritation to eyes, respiratory system and skin. Irritates the skin. Danger of serious eye damage. Sensitization through skoin contact possible. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment Harmful: may cause long damage if swallowed.
<u>16.6 Trainin</u>	<u>g advice</u>	

None

#### 16.7 Additional information

None

#### More information

The information in this safety data sheet corresponds to the best of our knowledge at the tim of printing. The information should give you clues for the safe handling of the product mentioned in this safety data sheet during storage, prodessing, transport and disposal. The details are not transferable to other products. Insofar as the product is mixed with other materials, mixed or processed, or subjected to processing. The information in this safety data sheet, unless expressly stated otherwise, can not be transferred to new materials manufactured in this way.