

PYBUTHRIN 33

Version 5/GB 10200001390 1/11 Revision Date: 14.10.2014 Print Date: 03.11.2014

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
Trade name	PYBUTHRIN 33
Product code (UVP)	05937876
1.2 Relevant identified uses	of the substance or mixture and uses advised against
Use	Insecticide
1.3 Details of the supplier of	the safety data sheet
Supplier	Bayer Environmental Science 230 Cambridge Science Park Milton Road Cambridge Cambridgeshire CB4 0WB United Kingdom
Telephone	00800-1214 9451
Telefax	+44(0)1223 426240
Responsible Department	Email: ukinfo@bayercropscience.com
1.4 Emergency telephone no	
Emergency telephone no.	0800-220876 (UK 24 hr)
	+44(0)1635-563000 (Overseas 24 hr)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Aspiration hazard: Category 1 H304 May be fatal if swallowed and enters airways.

Skin irritation: Category 2H315Causes skin irritation.

Acute aquatic toxicity: Category 1 H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1 H410 Very toxic to aquatic life with long lasting effects.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

Xi Irritant, R38 N Dangerous for the environment, R50/53 Xn Harmful, R65

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:



PYBUTHRIN 33

Version 5 / GB 10200001390 **2/11** Revision Date: 14.10.2014 Print Date: 03.11.2014

- Pyrethrins including cinerins
- Piperonyl butoxide
- Distillates (petroleum), hydrotreated light



Signal word: Danger

Hazard statements

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H410	Very toxic to aquatic life with long lasting effects.
EUH208	Contains pyrethrins including cinerins. May produce an allergic reaction.
EUH401	To avoid risks to human health and the environment, comply with the instructions for
	use.

Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P308 + P311	IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
P501	Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

2.3 Other hazards

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Ultra-low volume (ULV) liquid (UL) Pyrethrins/Piperonyl Butoxide 3:30 g/l

Hazardous components

R-phrase(s) according to EC directive 67/548/EEC Hazard statements according to Regulation (EC) No. 1907/2006

Name	CAS-No. /	Classification		Conc. [%]
	EC-No.	EC Directive 67/548/EEC	Regulation (EC) No 1272/2008	
Pyrethrins including cinerins	8003-34-7 232-319-8	Xn; R20/21/22 Xi; R43 N; R50/53	Acute Tox. 4, H332 Acute Tox. 4, H312 Acute Tox. 4, H302 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	0.38
Piperonyl butoxide	51-03-6 200-076-7	N; R50/53	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	3.40
Distillates (petroleum),	64742-47-8 265-149-8	Xn; R65 R66	Asp. Tox. 1, H304	> 10.00



PYBUTHRIN 33

Version 5 / GB 10200001390

hydrotreated light			
		-	.

Further information

Pyrethrins including cinerins	8003-34-7	M-Factor: 100 (acute)
Piperonyl butoxide	51-03-6	M-Factor: 1 (acute)

For the full text of the R-phrases/ Hazard statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures		
General advice	Remove contaminated clothing immediately and dispose of safely.	
Inhalation	Move to fresh air. Keep patient warm and at rest. If symptoms persist, call a physician.	
Skin contact	Immediately wash with plenty of soap and water for at least 15 minutes. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. In case of skin irritation, application of oils or lotions containing vitamin E may be considered. If symptoms persist, call a physician.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. Apply soothing eye drops, if needed anaesthetic eye drops. Get medical attention if irritation develops and persists.	
Ingestion	Rinse out mouth and give water in small sips to drink. Do NOT induce vomiting. Risk of product entering the lungs on vomiting after ingestion. Call a physician or poison control center immediately.	
4.2 Most important symptom	ns and effects, both acute and delayed	
Symptoms	Local:, Skin and eye paraesthesia which may be severe, Usually transient with resolution within 24 hours, Skin, eye and mucous membrane irritation, Cough, Sneezing	
	Systemic:, Discomfort in the chest, Tachycardia, Hypotension, Nausea, Abdominal pain, Diarrhoea, Vomiting, Dizziness, Blurred vision, Headache, Anorexia, Somnolence, Coma, Convulsions, Tremors, Prostration, Airway hyperreaction, Pulmonary oedema, Palpitation, Muscular fasciculation, Apathy	
4.3 Indication of any immedi	ate medical attention and special treatment needed	
Risks	This product contains a pyrethrin. Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.	
Treatment	Local treatment: Initial treatment: symptomatic.	



Version 5/GB 10200001390

4/11 Revision Date: 14.10.2014 Print Date: 03.11.2014

Systemic treatment: Initial treatment: symptomatic. Monitor: respiratory and cardiac functions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Keep respiratory tract clear. Oxygen or artificial respiration if needed. In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens. If not effective, phenobarbital may be used. Contraindication: atropine. Contraindication: derivatives of adrenaline. There is no specific antidote. Recovery is spontaneous and without sequelae.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media	
Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	High volume water jet
5.2 Special hazards arising from the substance or mixture	Dangerous gases are evolved in the event of a fire.
5.3 Advice for firefighters	
Special protective equipment for fire-fighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
Further information	Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

• • •	
Precautions	Keep people away from and upwind of spill/leak. Avoid contact with spilled product or contaminated surfaces. When dealing with a spillage do not eat, drink or smoke.
6.2 Environmental precautions	Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).
6.3 Methods and materials for	containment and cleaning up
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Clean floors and contaminated objects with plenty of water.
Additional advice	Check also for any local site procedures.



Version 5 / GB 10200001390 5/11 Revision Date: 14.10.2014 Print Date: 03.11.2014

6.4 Reference to other	Information regarding safe handling, see section 7.
sections	Information regarding personal protective equipment, see section 8.
	Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe hand	dling		
Advice on safe handling	No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.		
Advice on protection against fire and explosion	Keep away from heat and sources of ignition. Vapours may form explosive mixture with air. Take measures to prevent the build up of electrostatic charge. Use only explosion-proof equipment.		
Hygiene measures	When using, do not eat, drink or smoke. Remove soiled clothing immediately and clean thoroughly before using again. Contaminated work clothing should not be allowed out of the workplace. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. Wash hands immediately after work, if necessary take a shower.		
7.2 Conditions for safe stora	ge, including any incompatibilities		
Requirements for storage areas and containers	Store in a place accessible by authorized persons only. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from direct sunlight. Protect from freezing.		
Advice on common storage	Keep away from food, drink and animal feedingstuffs.		
Suitable materials	Black mild steel sheet with interior coating		
7.3 Specific end uses	Refer to the label and/or leaflet.		

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Piperonyl butoxide	51-03-6	500 ppm (TWA)		OES BCS*
Pyrethrins including cinerins	8003-34-7	5 mg/m3 (TWA)		OES BCS*
Pyrethrins including cinerins	8003-34-7	1 mg/m3 (TWA)	12 2011	EH40 WEL
Pyrethrins including cinerins	8003-34-7	1 mg/m3 (TWA)	12 2009	EU ELV

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Additional advice

Observe: Exposure Limits In Air, Gp1: 1000mg/m³ / 200 ppm (aromatic-free or de-aromatised hydrocarbon mixes with < 1% aromatics < 5% n-hexane, < 25% cyclo/Isohexane TRGS 901 No. 72).

8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment)



Version 5 / GB 10200001390 6/11 Revision Date: 14.10.2014 Print Date: 03.11.2014

Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection	Wear respirator with an organic vapours and gas filter mask (protection factor 10) conforming to EN140 type A or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.
Hand protection	Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness of 0,4 mm). Wash when contaminated and dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.
Eye protection	Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).
Skin and body protection	Wear standard coveralls and Category 3 Type 6 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently. If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	Liquid
Colour	colourless to light yellow
Flash point	ca.65 °C
Ignition temperature	230 °C The data refer to the solvent.
Upper explosion limit	13.00 %(V) The data refer to the solvent.
Lower explosion limit	0.60 %(V) The data refer to the solvent.
Relative vapour density	4.5 The data refer to the solvent.
Density	ca. 0.81 g/cm³ at 20 °C
Water solubility	insoluble
Partition coefficient: n- octanol/water	Pyrethrin: log Pow: 4.3 - 5.9



PYBUTHRIN 33

Version 5 / GB 10200001390 7/11 Revision Date: 14.10.2014 Print Date: 03.11.2014

	Piperonyl butoxide: log Pow: 4.75
Viscosity, kinematic	1.77 mm2/s at 40 °C
Surface tension	24.9 mN/m at 40 °C
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	
Thermal decomposition	Stable under normal conditions.
10.2 Chemical stability	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity	LD50 (rat) > 5,000 mg/kg Test conducted with a similar formulation.
Acute inhalation toxicity	LC50 (rat) > 5.10 mg/l Exposure time: 4 h Test conducted with a similar formulation.
Acute dermal toxicity	LD50 (rat) > 4,000 mg/kg Test conducted with a similar formulation.
Skin irritation	Irritating to skin. (rabbit)
Eye irritation	Slight irritant effect - does not require labelling. (rabbit)
Sensitisation	Non-sensitizing. The information is derived from the properties of the individual components.

Assessment repeated dose toxicity

Pyrethrin did not cause specific target organ toxicity in experimental animal studies. Piperonyl butoxide did not cause specific target organ toxicity in experimental animal studies.

Assessment Mutagenicity

Pyrethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Piperonyl butoxide was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Pyrethrin was not carcinogenic in lifetime feeding studies in rats and mice. Piperonyl butoxide was not carcinogenic in lifetime feeding studies in rats and mice.



PYBUTHRIN 33

Version 5 / GB 10200001390 **8/11** Revision Date: 14.10.2014 Print Date: 03.11.2014

Assessment toxicity to reproduction

Pyrethrin did not cause reproductive toxicity in a two-generation study in rats. Piperonyl butoxide did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Pyrethrin did not cause developmental toxicity in rats and rabbits. Piperonyl butoxide did not cause developmental toxicity in rats and rabbits.

Further information

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity		
Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 0.0052 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient pyrethrin.	
	LC50 (Cyprinodon variegatus (sheepshead minnow)) 3.94 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient piperonyl butoxide.	
Toxicity to aquatic invertebrates	EC50 (Daphnia) 0.012 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient pyrethrin.	
	EC50 (Water flea (Daphnia magna)) 0.51 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient piperonyl butoxide.	
12.2 Persistence and degrad	ability	
Biodegradability	Pyrethrin: not rapidly biodegradable Piperonyl butoxide: not rapidly biodegradable	
Кос	Pyrethrin: Koc: 12472 - 74175 Piperonyl butoxide: Koc: 399 - 830	
12.3 Bioaccumulative potent	ial	
Bioaccumulation	Pyrethrin: Bioconcentration factor (BCF) 471 Does not bioaccumulate. Piperonyl butoxide: Potential bioaccumulation	
12.4 Mobility in soil		
Mobility in soil	Pyrethrin: Immobile in soil Piperonyl butoxide: Moderately mobile in soils	
12.5 Results of PBT and vPvB assessment		
PBT and vPvB assessment	Pyrethrin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).	



PYBUTHRIN 33	9/11
Version 5/GB	Revision Date: 14.10.2014
10200001390	Print Date: 03.11.2014

Piperonyl butoxide: This substance is not considered to be persistent,
bioaccumulative and toxic (PBT). This substance is not considered to be
very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects	
Additional ecological information	No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product	In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).
Contaminated packaging	Empty remaining contents. Do not use containers for other products. Clean container with water. Rinsed packaging may be acceptable for landfill, otherwise incineration will be required in accordance with local regulations. Not completely emptied packagings should be disposed of as hazardous waste.
Waste key for the unused product	020108 agrochemical waste containing dangerous substances

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number 14.2 Proper shipping name	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYRETHRINS SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	E

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG 14.1 UN number 14.2 Proper shipping name	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYRETHRINS SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Marine pollutant	YES

PYBUTHRIN 33

Version 5/GB 10200001390

10/11 Revision Date: 14.10.2014 Print Date: 03.11.2014

14.1 UN number 14.2 Proper shipping name 14.3 Transport hazard class(es)	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYRETHRINS SOLUTION) 9
14.4 Packing group	
14.5 Environm. Hazardous Mark	YES
UK 'Carriage' Regulations	
14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYRETHRINS SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Emergency action code	3Z

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK and Northern Ireland Regulatory References

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367) Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716) Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009 Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677) EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits Control of Pesticide Regulations 1986 Dangerous Substances and Explosive Atmospheres Regulations 2002

Waste Treatment

Environmental Protection Act 1990, Part II Environmental Protection (Duty of Care) Regulations 1991 The Waste Management Licensing Regulations 1994 (as amended) Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended) Landfill Directive Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94) Water Resources Act 1991





PYBUTHRIN 33

Version 5 / GB 10200001390

11/11 Revision Date: 14.10.2014 Print Date: 03.11.2014

Anti-Pollution Works Regulations 1999

Further information

WHO-classification: U (Unlikely to present acute hazard in normal use)

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: OTHER INFORMATION

Text of R-phrases mentioned in Section 3

R20/21/22 R43	Harmful by inhalation, in contact with skin and if swallowed. May cause sensitisation by skin contact.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65	Harmful: may cause lung damage if swallowed.
R66	Repeated exposure may cause skin dryness or cracking.

Text of the hazard statements mentioned in Section 3

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H317	May cause an allergic skin reaction.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Reason for Revision: Section 12. Ecological information. Safety Data Sheet according to Regulation (EU) No. 453/2010.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.